

MCP-4

Multi-colour printers reviewed



Banish OM errors

Beat the cube



DRACON USER 24

(Al departments)

Editor CITAHAM CUNNINGHAM

Assistant Editor AMEREW BRIDGS

GPAHAM TAYLOR

OLEO CHERRY

Advivtisionent Manage

Advertisement Executive SIMON LANGISTON Administration

Managing Editor

Publishing Director

And and a state of the second

Overlands (surface) E15 for 12 leaves

Diapore Gher, 1213 Little Novport Street Landon WCIR SLD.

US-X001088: C-C-Business Peres International: 200 East 42nd 5t, New York, NY 90817

Published by Surphine Books, Stud Press, Url. Educatione Beeks 1954.

Ouchs, Printed by Eden Fisher (Southand

Oldhouled by IEM. Distribution, Landae SNV9. 01-274 8011. Tales. 201643

required at the Pist Office as a news

Drapon and its logs are bladonarts of Oracon Data List.

How to automit articizes

The quality of the material web carb patients to Dragon Lour each munch will, but a way prior delimed, depend on the quality all the decoverides that you can make with your bain prim. The Dragon 22 carbonier rais launched an Ab the manier with a powerful version of Bells, Du Hell very pairs desumantation.

Arrives which non-subhilled by Degendent to subhillation wheek ret to bittos that 2008 worth long. At automassing sheek to \$004. Preset lenny sider ranging and a fronte totos between sash lene. Program thous, interver possible, be automated prime or pain while paper and be accomamend by a target if the popular.

We called guarantee to tetum every submitted article or program, se please keep in copy. If you want to have your program returned you must include a stampot, abbreak annuovour

Contents

Letters

Including this month 3D analys, more o disk drives. Petigraw's Diary enrounce trans. and hints on knotice.

News

A tumper buncle of releases from Prenie plus the latest on the QG-8 and File operating systems

On the run

ofware review loos

ost games for the Dragon ---

Software Machine

Deb Liddl takes an idealyncratic look at the new releases in the US in the first of his http://w.columna.

Printer power

Increase watts tooks at the pessibilities and price of multi-colour printing in this hardmany review.

Truckina

This month's star game acts you up in a hask -- the sim is to get as far as you can without running cut of fuel or failing to prove

Editorial

Rubicube

with how to simulate the famous cube

The Basic shuffle 3

Bankh the OM synchrome and make the herd use of available store by taking the guessework out of allocating your data storage areas

terfocing

Turn your Dragon into a simple storage oscilloscope

Input/output

John Botbal puts the second straight or Dragon's insultantiant matterns

Software File 43

This month's polaction true the best president programs - PMCOE and PCOPY patterns. Spelling Tutor, spring mot filing data. Readwide and Resetters

Dragon Answers 65 Help is at hand on the string function, FOR NEXT tables, centrador addresses, com-

Competition Corner 68

Premier gives you the chance to add spite priver to your Dragon — if you see get kiely at roulette

"TRIACCH DATA HAS sale the Dregon" was the general response to the announced cost of moving to twin a Dregon 20 to the 2223 sH. BM while the commentar we believed nerve analys, their number was feer — which suggests that most users are costand either with the other is to stay with their 202.

Elapido balan in offening to excernance al 22 (vie CH-84 for 64 - Cen evaluer treatment the source of the second second

Do salaries na rota of annotation to move the through the first solar transmission of the solar

The Section — Loss mere pretry bits an exercise section of "by a practice basis of the interpret of the section of the and particle section of the and parts in another, pertry satisfies have a conversely. You do not be and the and parts in another, pertry satisfies have a section of the constance in a section. You allow a section of the section of the constance in a section. You allow a section of the section of the section of the constance in a section. You allow a water the section of the section of the section of memory because of the constant view water the section of the section of the section of memory because of the constant view water the section of the section of the section of memory because of the constant view water the section of the section of the section of memory because of the constant view water the section of sections water is also as the section of section of the section of the section of the section of sections water water is set of sections water is the section of the section of sections water is the section of sections water water is set of sections water water is set of sections water water is set of sections water water water is set of sections water water water is set of sections water water water water water sections water water water water sections water water water water water water sections water water water water water sections water water water water sections water water water sections water water sections water sections water water sections wa

on Learn how to a

Letters

Tandy converter

Bink CORVE "PROGRAM", & In a bedler bet ... and symmetry

Increasing arrays



This is the chance to air your views - send your tipe, complements and complaints to Lettere

Currona



from hi-fi



Notes on the Diary

Rad files

THE 19-13 printer doesn't work on the Dropon - despite Tan-

Software Top 10 3 (---) Cathbert in the Amale 6 (-) Uah 5 (---) Scremble Si Frogger 9 - Pinkall 10 (-) Dragon Hawk

Create a bulker, new vole game — and you could be on your way. Horning a missioner. The Manufact — comprehence represented by AP. (The horning a missioner the Manufact — comprehence represented by AP. (The Mark Michael Anternational Management Forway, altern status) and the latern Mark Michael Anternational Management Forway, altern status and any oper generation of 10% of the altern of all games to disklution throughout the only oper generation of 10% of the altern of all games to disklution throughout the Mark Michael Status (Status) and any mission of the Michael Mark (Status) and Michael Michael Mark (Status) and Michael Michael Mark (Status) and Michael Michae

IRI

\$100,000 FIRST PRIZE!

Denie a trany corpus new valeo gane in one of these categories. SPCRTs, MALANTORS, ARCADE, STRATSY, ACHTINUTE, FANTASY or a special section which (vers) programmes that are not necessarily games but have outstanding tolocational Testimarinement metric Westalso bearingungers and metric of MERT.

International Vision Game of the Year MERT WINRED on their real packaging IS a grout dialegue. And the rewards, both inancially and in terms of prestage, are terminedious. This is the most exching competition over for creative computer and order pethoanem.





The first basic compiler for the DRAGON 32



SPRINT BASIC COMPLET

ACCOUNTED IN LOUGH INCOMENTAL

sprenompels a subscripturaductoragio addate when obvers amays, sitings, for next large, infact-intusty everything everyt forting point arithmetic and associated converses, all adfimitely is release and the Descen associated converses, all adfimitely is release and the Descen associated converses.

commands are fully supported.

Pascal where the Basic program is first reduced to intermediate code and this is then areacaded using a run time paskage when a subscription of the set of the set

- * Provent allow 5- White hele
- AttoETe-order East, is supported, with the exception of finalitys solid composition.
- Codecred.cst will survicependently of the camples (for potential authors);
- Programe are complections tape under somale control so that haufs larger anoname, can be control and
- Split is designed to ease of use and a comprehensive menual is included.
- Free domandiation program with each program bought to Restrate the full power of the Campies.
- Af Oasis products are covered by a lifetime Quarantee.

JUST RELEASED

Despiri Pascel o an ordendad imour autoal di he anushurat programmed anouspi Pascel A trai di Statistica battori oculori

· A complete set of structured programmers

P. THIS ELSE PPRE DO CASE E

COMPLEX. ED10P and BOURCE
 Influtioneously resident for a signet
 Residence of the second second

hers repid completion, Bourde can actual be-completed more repidly than it can be taken

· Fully remained.



CASIS SOFTHARE, Records Parado Mistor-super-fillere, Avie: \$223 1GT Posse and ce

SPRINT David Compiler £14.85

None

Address

ACCESS orders laten to phone 24 hours a day - DIDL LINE

DRAGON 32



DRAGON CHESS £9.95

- · Six levels of plan.
- All logal chess moves including en-passant, castoling and pawn is mean promotion
- List of previous moves stared which can be displayed or relevant.
- * Loading and saving of games
- High readution graphics which can be flipped round to make black or white play from either end.
- Simultaneous test and sranhere

"Diagonaliess is without doubt the best ratio shees on the market tuday" (discussion)

Oragon Jass is evaluate from STD

- Sildes can be exchanged at any slage.
- · Best move hint.
- · Set up from any positio
- · Opening move library.
- Moves may be taken back and play resumed from any point
- Change level of play at any point in the came.
- Wil adjudicate games between humana.
- Very high standard of elay.

DOMINOES

 Professional packaging and Ideline summers.

Etione Computer Reekly

BACKGAMMON £5.95 OTHELLO C5.95



The well known game all bockjammon complete with to helmodiane and computer demonstration for beginners.



manufactures known synthesis an E's proof Dragger 33. 2 known of play, all instructions and topografar demonstration for beginners.



As well as being one of the best period of dKT wittlen for the Orapon 32.4 also has seene of the best pore machine seeie The genes is not with full instructions. Nours at Fusibaling for this program has blevels of play and or the higher break

um _____

NUL GADE PRICES INCLUSE THAT AND FAR AND EXEMPT GADE PRODUCT IS PROMPTLY DESPATISHED AND INCLUSES IN UPETIME COMMANTEE If your local dealer does not shock these products then is us know his address and we will contact him.



OASIS SOFTWARE-Intelligence in code.





MICRODEAL FILMASTR-Dragon 32 Data Management System

NEW FROM

The Data Management System you can trast. **HLMASTR** combines the best features of the big systems to provide a combination of speed, power and case of operation that can't be bettend

YOU are in complete control of this diardly program with no programming knowledge required. You design the durits screen with up to 20 fields by moving the cursor on screen with the anow keeps and typing in the field names ...

Error data by just filing in the blanks this, form filing in casy and natural to use. You can rem copy data hear previous records with one key stroke. ADD RECORDS, DELETE RECORDS, CHANGE RECORDS, ALL WITHOUT FUSS.

Tell **BLMASTE** to sorry your file on new field that you want or no remeive a particular file and the iob is done with super-harmon machine language speed. **BLMASTE** will find a single file or a group of likes that meet your request and will save those records as a sensate file if yous want to.

Available from Dragon 32 Dealers Nationwide of .

MICRODEAL Limited.

24 hour orderline: 0726 3456

£19.95 includes pays

Send First Class stamp for our new Drawon 32 catalogue. CONTROLLED PRINTING FORMATS? OI COURSE...sell PILMASTR which records to use which fields to print and in what order. You can control the print location to any position on the page.

MAILING LABELST NO PROBLEM.

All commands are given to PLMASTR with single keystokes. Protection the HELP key (BREAN) and the available commands are displayed. Make year choice from the mema and let PLMASTR do the work.

FILMASTR can store up to 64 characters in each field and 24,000 characters in each file.

ATA MANAGEMENT SISTEM

Selecter

Microdeal Produc

tranches of



E. Drason User March 1984

High level operating for all Dragon users

FUPANYG A high level operating system on your bagon 32 is now a possibility using a new component cord from Actes Data Systems

First is the system which the sent supports for 32 and 64 weets -- but it also supports bee other systems on the 64. OS-9 from Dragon Data and Mumpo which is available from Threb Data.

Basically these dak operating systems, sometimes, maning systems, sometimes, manage the running of your Dracon and its annotances.

AutOre's Jain Anderson points out hait adding the card and whichever sponsing syslem is pedered will turn your Degon here is home computer rink a "professional lowred clak-based computer system". A Tandy Calcur TiRG ato 25X or 164K, can be similarly transformed.

It addition to the operating systems, the card supports four output devices: a stardard 32 by 16 screen, an 80 by 24 column screen via penal 801 E, a local hires character transmission and the second screen second s



Instationer your Diagon with AnderK's component car

lenial 0011.

Four input devices are also supported local computer keptoard, external keytoard via serial port 0, and a reotenvia serial port 1, with the fourth undefined.

Herbware features include two serial ports with bidrectional handshake lines, software programmable based rate generator and a real time ricek

One other hashears feature

their Dragos then play genescan affard to be without it." explain the existences

Durian adds that "the book cardains virtually averything 1 know about the incident of the Drapon"--- and he was design consultant on the sathware side for the Drapos 22 and 64. At the moment he's wasing on the spatient software for the "120".

Technical subjects covered in the book include input touput hardware and software, graphics herdware, and Dragol Data's own disk operating system.

The book also contains detells of the 6809 chip on which the Dragon is based — as architecture and programming instructions.

Data sheets are also included for this (hip, along with the SNT4LSTB) multiplexiz, the 6842 video display generator and the 5821 perphetal interface adaptar. should be of particular interest to 32 users: the BK of RAM which allows Flex to be run on the Dragon 32. When used on the 64 it allows map 0 poor switching.

Jim's content of the three contains systems supported in their CIS-8 "should be calls by, perfectienty as software written on it can be moved up to RECONCHARRENT machines"

Flot "is more general pur-

amount of software available". 8 is on sale in this country for about £130 including editor and macro-assembler.

Mumpa is "more new to the micro world but has got to be looked at seriously, particularly far taxt applications." Those Data is at 11 Newsrika Street, Leatenber

The cerd was developed to use by the 6809 Micro Group, chained by Jim himself. When he realised the card's market potential he decided to make it available on a commercial heat

Jim sees demand for the calif carning from commensal stars, software houses and "top end enthusiants who want to use Flex in its sue etvicorment without buying a more exemption motion."

Prices tange horn about \$130 to \$210 depending on configuration. The fullest configuration includes an extra 98K of user program on top of the function includes.

For further details contact Andrek Data Design, 41 Pabworth. Read, Hantper, 1643 3UD -- or call 01-422 4724.



The RESAMELANCE to Foger Move with surveys to the otherms doed control for January data for Movement. The of forms of all control for a possibility of the movement of the surveys of the local surveys of the surveys of the surveys of the surveys of the local surveys of the surveys of the surveys of the local surveys of the surveys of the surveys of the local surveys of the surveys of the surveys of the local surveys of the surveys of the surveys of the local surveys of the surveys of the local surveys of the surveys of the local surveys of local surveys of

March 1984 Drawer Liser G

An inside view of the insides

NOT CONTENT with helping to develop the Dragons 22, 64 and under-waps "128". Drapon Data's lectimical software manager has put his hand to bolk writine.

The beak in guestion is inskille the Dragon, written by Duncen Smeed and lan Sommerville, and published by Addison-Wesley at \$7.65.

Duncan is the Dragon Data manager while tan is a techner of computer science at Stathclyde University, where Duncan too was a techner Defane joining Dragon Data techner.

levil July. Profile the Chapon is aimed of users who have got past the beginner's stage. "No one who wants to do more with A how had to be a set of the set

OS-9 system hits the streets

BY THE time you read this the DB-8 operating system from Dragen Data should have an even in the should.

Dragon Data expects the operating system, plus Basic 09 and three main business packages, to go on sale towards the beginning of February.

Other languages such as Pascal and C are expected to follow at the end of Petruany — along with the editor' assembler ideograp.

The first three business peckages are Splograph for word processing at about £80; Dynacate, a spreadsheet package at £80; and the Record Management System distribute str255.

Other business packages are on the way, covering such terms as Cash and VAT.

Dragon Data points out that '05-9 enables advanced application software to be easily run on a Dragon 64.

"The more advanced the operating system is, the more advanced will be the software that is written to run under it. 05-9 is very edvanced."

The UK agent for the Americen-written system is Veeway which describes 05-9 at a "mul5-seer, maittasking, real-time, Unix-tee Gentang system".

This reears that one person sain run several programs and more than one person can be using the computer at the same time.

Wveway adds that OS-9 im proves on Unix by using mod ularity and doing away with data swannon.

"The operating system is made up of several closeres modules, which are automatically recognised by the operding system when it is not

"This means that it is a relief/vely easy matter to adapt or expend the operating agatem by attering only selected modules or writing tele ones."

SÔME HAVE IT



If you've reached the stage where the restraints of your 6809 based computer are becoming a bore, cast your we over this advertisement.

After 4 years of research, in conjunction with TS.C. Incorporated, Compusense are launching "The Flex" in Britain.

Sales have already reached the 100,000 mark worldwide, which will give you an idea of how successful the product is.

FLEX is an elegant, friendly and efficient disk based operating system. It is supplied with a 200 page manual and includes an editor and an assembler.

All very well you may be thinking, but what will it do for me? And why should I replace my existing package? Or indeed, why buy one at al?

Our reply is simple. We let the facts speak for themselves.

10 Draoon User March 1064

OTHERS DON'T



RLEXis features are dynamic file space ellocidier, random and sequential file accessing user start up facility, automatic drive searching, file dating space oumpete users movements control. English error messages, over 20 commends for normal disk operations and there are high quality software packages available on disk.

It requires the 64K Dragon and at least one disk drive or any 6809 based micro-processor or system that supports disk drives. FLDX is also available on the BBC Model B.

In short, this product enables you to use your computer to its full potential. A whole range of new facilities and controls will be at your disposal. You may even think you're using a new machine what with all the extra functions you'll obtain.

On yes, one last thing we'd like to tell you, it knocks the spots off the competition and it's cheaper!

Send 2750901 WH1 for test inal order service. Credit card tolders can also order waithe telephone.



COMPUSENSE LIMITED

London N.3 SAA. Tet: 01-882 (0682-8836 (24nc) Telex: BBL3271 GECOMS G

[3] is the casteland trade math of Sectored Sectors incrementati

Bumper bundle from Premier

A BUMPER bundle of program aids has arrived how Premier Microsystems.

Eyels want to enhance poor Dispon. Home's Toothit: it souline interested in assembler language, there's Dirocder 09: 4 you peer drives, there's duk conversion packages; and it it's graphica you're after, there's a sprite board and Doodle-Matter.

Toolkit adds utilities, illaste works and function karys to pour Dragon. It create CPI M as a cathridge. CPI MS receipte satisfyinge. or CPI MS for the dis cathridge. or CPI MS for fitted to a Delta contridge you already even.

Torkit's screen editor is linked to the Dragon's line editor which has been enhanced with four new commands. The eight programmable kays can call each other and mans than 60 wolds have been added to the Dragon's Base.

The sample of new commands includes ERROR HANDLING, VARIABLE GOTOGOSUB, TRACE and SEARCH and REPLACE.

Twenty-five full colour low resolution graphics acreens are also available with commands for writing to any all them or awapping and movino.



ELECTRICAL engineer Peter Milliams has designed versus industrial packages extending the Diagen's single of serious autointern

Peter argues that "rather than verting time on larger mainfarmes, electical comparies could save money by buying a micro such as the Dragon". The pockages he is phereir

The packages he is othering cover power system load level, short crout sate sizing and cable solveding — at (25.00, 10:0 and (20.00 respectively. He poets out that the prices are two for industrial program. Is need in line and program is need in line and there will toke.

For further details write to Peter at 10 Osproy Dose, Buildemuch Developed Further graphics and corres Font the sprite graphics beard with 268 by 192 resolution, 16 colours, 198 programmable graphics characters and hull saline and hull bears runs director

Each of 32 display "layers" ten be moved without databing the others. As Forenae explains this makes possible effects such as a waking man moving behind one object and then in found of the read.

The board costs 208.95 as a kit, and about 227.00 extra fully assertionel.

The other graphics package, Doode-Master, alows, you to define up to application of the second second second second may be created if no Basis is may be created if no Basis may be created if no Basis

Divectors can be created in green, blue, red and yellow; the inverse cyan, magenta, overge and blue can also be displayed. Doodle-Master costs \$17.95 on carriage or \$15.95 on Detta-compatible disp.

Dwheis of the Dragon Data disk system Dragondos need not hel disheartened. Premier is offering to convert their syslens to Delta for \$53.95.

Conversion the other way will also be possible with a utility deak able to relaman Delta software to run under Degordos. This disk attens other utilities such as sector editing and reacing CONVES.

The IAID of the new releases is Encoder OB, an assembler classification of the international symbolic assembler, standard hinkshifting and parcido spooles. It uses basic for its editor so that line editing where seniable immediately.

to volve cost catalo a a visité activité catilité a Déla catridge. But jourithue della catridge. But jourithue and Toolks as Beerr's only elough apace in the Della catridge for ane or the other — or you cloud more up to a motherboard.

Encoder costs slightly more, E37.95. If you want it filed to a Defin certridge you already own. For details of this service cell Premier on 07-659 7351.



IN GREEN mythiatoge there is the stray of one Singhua, who was condummed to path a follow up a silenge ML. Ithen the path a follow up a silenge ML. The the stray of the bolter, who have not a stray of the stray of If there has been a receiver tend in some compare programmer, is even to be that the software management of the software tends with the software of the software tends attacks on the packagement tends and the software of the software tends and the rest of the software of the software tends we were tend on the packagement to a software rest, even the method at the software and before in the pile are some that are models for the pile to balance.

First, the ancade action games, Werlybird Run, from Dragon Data, involves plicting a helicopter over repurtativous pritain, while design over repurtativous end teems with gursa and bomba. As the interproprotease, you and/or a closes that interproprotease, you and/or a closes that more stropping to population while a worker protein stropping to the second termine to you, it should als, as this is serving a strengor attress. The number of machines stat, Solaration. The number of machines stat, Solaration. The number of machines stat, Solaration. The number of the solvers Online plot always strengthes the about this gater— I class where y strength here (the solvers). Due plot fails their general the spot of this 1 alw gaters being spot of the solver. This plot fails their general the spot of this 1 alw gaters.

Oragon Data Kentig Industrial Estate Margan	Which been E12.05	Under r	Giant's Centle	27 Ongue Porta Si Piye Sussex	
Port Talbet W Gam		Autoourse De-tystiee	C5.95		Up Periscope
Ponix Sobwara 272 Algyl Ave Stauth	White Crystal Convoy Attack Cystage	J Morrison Micros 2 Glenadale St Leeds	Crusader Maurice Minor Di Iti exch	Familian Ra Market Harborough Leicestershine	
Blough Berks	Cystops Strategic Command Romik Cale (0.03 each	Phoenix Software Spangles House 110 Marsh Rd Picture	Death Mines of Sirus SI/35	189 Elon Rd Elect	Empire CE 35 Pettigraw's Diary CT 95
Virgin Games 61 Potobello Rd Lendon W11	U938 05.55	Mddx Templation	Searchword	Salamander Sobware	Lost in Space
Dungeon Software Millon House	Treasure Tombe CT.95	Sobesre 17 Norloik Ro Software	Micropoly	17 Nortok Rd Brighton E Sussex	



"Dataplus have made their name supplying computer peripherals at competitive prices I believe that we have now found the best price/performance datay wheel alternative

So whatever your computer - BBC



Diariaciter set 128 Diariaciter spacing Printing Unideal Paper soldth, CT		

Merch 1984 Dragon User 13

1002



00 07 32

securice server - one say while bot for a cost drive in your sar A shrape on to a motor-outle

 supply of ammunition, the game is to to play.

A more service concerning in the term proof is (1234, which is validle terms then. Metages in an attempt to justify there executed the terms of the term with terms that the terms of the terms of the terms terms of the terms that mere instead by service instead to the terms of the terms of the terms of the terms of terms of the terms of the terms of the terms of terms of the terms of terms of the terms of terms of terms of the terms of terms of terms of terms of terms of the terms of terms

Intelligent

More's has been producing Drugst soldand Its game. Strategic Commun. It is good exempte of using the computer as a good exempte of using the computer as drugst and the solution of the solution of the solution of the games. Downly drugst will be prefixed games. Downly drugst will be games. Solution of drugst solution of drugst solution of solutions of the solution is orthogeness and solutions is prior of the manual is prior to be solution is and solution is and solution is and solution of solution is the solution of solu Schein Erlows in Inginiteschiom a dogfight between pox and the enemy. Homic acts a global example thy patting an actual actean-shot all each program on the cover of its cleanetter, and you are not tempted to Date remains.

Hermit ellor produces a reactione gentres elevertes gans caled White Crystal. This constant of a compaix cale the company of the company cale method by a similar of ladars, is the cover method by a similar of ladars, is the cover method by a similar of ladars, is the cover method by a similar of ladars in the cover method by a similar of ladars in the cover method by a similar of ladars of the program cale of the similar of ladars of the program ladar cover the similar of ladars of the ladars of ladars of ladars of the program devine (her even ladars of lad

Anothe graphic adventure game where in factor is however, the model on bulkgeen Schwark, Aquanoty, there is a value Composition content beneats (Calabothory Organic Longias) beneats Norman times, you can explore the stoptime documents per index vessely, where working ther is not in the same longue as Mail-months include the same longue as Mail-months in the same longue as Mail months in the same longue as Mail months in the same longue as Mail months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same longue as the same longue as the months in the same lo

Acother advecture-type program here.

the middle-of a race

-"-"D

Dorgon Software is Gain's Corete, a Dorgon Software is Gain's Origina (Bain) (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core (Core and Core and Core and Core and Core and Core and Core (Core and Core a

1111-

Intrepid

J deriver Micco has an original game to Crasside, souther gradinal advention to Crasside, souther gradinal advention (addering and the post of the south and add advort, seath ends the south atom and advort seather with the south atom and advort seather with the south atom and advention of the souther and the south atom advention of the souther advention of the souther of the souther advention which to thesismer it many global chains, the souther of the souther advention of the souther souther of the souther advention of the souther of the souther advention of the souther advention of the souther advention of the souther of the souther advention of the advention of the souther advention of the souther advention of the advention of the souther advention of the so

CHESHIRE CAT EDUCATIONAL SERIES from

AMPALSOFT



CHESHIRE CAT The First name in Educational Software.

An exciting range of top quality programs covering all needs from pre-school to 'A' level.

Now available from Boots and other good stores.

Ampel Computer Services Ltd. 31 Woodbridge Road, Darby Green, Blackwater, Camberley, Surrey. Tel. (0250) 8766377 commended, and is similar in concept to Cultiblet in the Jungle.

The properties of the second properties of th

Energy

The second secon

LODI wais her wertere expression for an investigated brown, and Vegn has used it in the device the borns of the tits, using its its device the borns of the tits, using only are iterers howns on appeal tooks. The program is menu-driven, and you can borns, or to alterny's to solve it. Although borns of the appeal to solve it. Although borns of the appeal to although and only and comes plant, and it was plant being concentry there need the program terco winterforced. The reputs are not may also reading to pole an alterny to solve an and the pole an alterny to the pole.

A game has about a body is a body of program is them Mone of Saux body program is them Mone of Saux body herein Schweiser and the second second instructions. As the program started and instructions are instructions. I had to held the started and was reproducing and protect music on the started. Started out other started program is an at vocal started with the started and the start started instructions.



30 FURIDODE - INVOLUE DOVING & 2014OV IF INMUMARE EMISSION INVESTIGATION

If you call cope with the related passion of the second second second second second second have to pack a drawn to the weak year have to pack a drawn to the warks of the pack and the second second second second development. If the second part at the second second second second second second have to pack and the second part at the memory second second second second second development second second second second second second second development second second second second second second second development second second second second second second second second development second sec

A supplier that appears new to no to Templation Software. The two programs I have seen this month, one game-alling, and the other a version of a board game, are tooh peckaged in an eye-catching boar oversed in "laser-cat" circles.

The unity, Searchword, is a game that one be physical on the scores, or can be used to generate word-squares, and period before to be paired. At its word-squares, the polygoin word simple to use it. Which of use the polygoin words there into a meaning the polygoin words the score in the polygoing the polygoing of the words meaning the polygoing of the words meaning a belief target or the words meaning with the correct to approximate which do it. but it with a portion is the calculation of the the score in the polygoing is the correct to approximate the the score in the calculations. arrives. A set of spelling words, or those to its with a particular topic, could be estained by a ponent or teacher, and the print-outs given to children to complete.

Mecopole toth Lengelation Judicate as an observed to the shown in open entropy all "Gall's stating galaxies hown in open entropy all "Gall's stating galaxies in a constraint of shown on the shown in a constraint of shown one. All the open is a constraint shown one will be readed to the same depend one. All the open is a constraint of the board game, and her popular is demonstry. Chest: The copone of the source dependence of the board game, and her popular of the board game, and her popular of the board game, and her popular (in the source) of the board game is the game, but here a board on the goot of the board game. In the source the readed game, but here a board on the goot is shown.

Another rew name in the last of polware howers in that of Bwynd, Its game, Uo Personge, Is nearly packaged, containing tendoor graphics as well as an actual storem shot of the game in progress. This is unfortunately on the inside of the selected roles, so you won't be oble to see it below you purchase it, but it's a step in the right direction.

The game itself can be played against the computer, or against another human, and involves moving a convey of mechanit verses across an area of sea. There is a large sland in the middle of he sea, which contains the middle of he sea, which



OFE:

as a convery renderfune first

You can command either the paintening that of the submersion in the Neo Folym paper, but you're interact to fine commuter you pay space that the company. There are lead adapted, the and the terminal space of the paint of the state of your generation and a state analysis of homorogeneration and a state analysis of homorogeneration and a state analysis of homorogeneration and a state analysis of homoroparts of the sead of any we different adapted and the paint of the some of an investment labor, and more of share and any state adapted labor, and more of share of share and states and the sead of any states of share and the sead of any states and the states of share they also more of share and share of share any states and states an

Movement is achieved by centring a calaria care places increase on the bottom of the acues. These include straightforand neuros. Conformations. Topodom and source. The instructions are clear, and the game while to Daily. While not contensing the speed or gradinois of content actuals and source the straightformation of the straightform exercises. They can see allower the straightform exercises. The straightform compares while the straightform and compares when it underclandor clearly the compares of the straightform of the straightform of the compares of the straightform of the straigh

Having blowt away an ocean full of submarines, the megatomatises out ferm among you could do worse than move on to limates from Sinatos Softwates.

At the stat of the game, the world is shered to consisting of 39 blocks to be shared between you, the Dasjon Empire and neutral countries. When you have





Empire - was meany than Mapoleon



Courses Science - Seaving Marines & Annual

alocated your forces round fire globe, proaid the Desponder a transmission to involve other transmissions. This displays are very event wave transmission to the second second second at the tegorous of the game from second at the tegorous of the game from to do, and the tipo beyes reveal (in the Despontor) to d, and the tipo beyes reveal as of a concentration to prevent (inte Despond Engine from cover extremy point level. If you face, your chances as Macrolines, then is an object game to a sum while, and the force transmission of the terms of the terms.

Abir unipyigi maafi fitolong the copains of bio Discontin Frankhin Tombi I based invasid to the secole. Lot in desperient los are that Salamandar that desperient los are that Salamandar that socie specinger that a control that could be adventure quere that is wind-bair produce you have when a wind-bair could to the come bair is wind-bair could to the come bair is wind-bair and bair to the come bair is wind-bair bairs of the come of the come bairs of the come of the come bairs of the come bairs of the come bairs of the come of the come bairs of the come bairs of the come bairs of the come of the come bairs of the come bairs of the come bairs of the come of the come bairs of

The display is divided into three events a locator development, and part bector, and an inventory of adjusts collected to serveral to lake rea a lot longer to get abarded them on Franking's Tande, and the hypothese constantly rule in a server by tobes constantly rule in a server to the tangent of the server and the displayed of the server and the server observed to the both time. There are no graphics, but there is a 14-page accor-

ripus locations. In some ways I feel that Dan Damond sent shreated to his full potential in this game. It's a pity that the Chandlereopue dialogue in the booker ian't separated in the program liked.

The second part of the partie is a tect-only adventure. One problem is that it is in real time, and a clock is folding any other too of the science. Direction is controlled by versining compare directions, is in real games of this type, and it is a pool index to attempt to make a plan as you more or your work technical contained and the pool of the technical science.

The innot and lead pain takes pain all conclusions, and original of situation funcversing pour contact in finant horn finging transmit with the LFR Tower. There are all situated with the LFR Tower for the situation of the LFR Tower for the situation of the situation of the situation of the lead scenario of the situation and constraints of the situation of the

Is the aim and direct path — He fit which just two services got — He fit and just two services got — He fit to coles. Herein Schwarz podocen im adving — I walk that to cill it gener or the service got and the service got of the service got and the service got of the service got and the service got which is the short of the service got got a stars, does where the others if the services got and services and the service got which are the service of view which find a start drange core of which are also as the service service which are also as the service service drange service service and the service service the service serv

This month, I don't find much that really inspired me — a few competent games, but few with a speck of reveals. The names and the packaging are different, but the carries turn out the same.

- * 255 MAXIMUM NO. OF BOWS
- * 355 MAXIMUM NO. OF COLUMN · WRY BARY TO USE
- · INDIVIDUAL CELL FORMULA
- · COPY BLOCKS OF CELLS
- · COMPATIBLE WITH ALL PRINTER EASY 132 COLLINE PAGE WITH ALL PROFESSION
- · GRAPH FORMAT FOR BAR CHARTS
- COMPREHENSIVE MANUAL INCLUDES · INTERNATIONAL USER GROUP
- * INTERNATIONAL USER GRAPHT SORT ROUTINE IN ASCENDING OR DESCENDING OFICER

- · Repeating entries
- Nation memory dways displayed

- Kinetire impagato bistario quest

- * 14th Columns or year



NOW The worksheet calculator occurrent you've been waiting for is waiting to work for Color Computer. Answer what it quastions, prepare reports and cash flow other tasks which, until now, required

Ausible from stock on cartridge for the Dragon 32 or 64 or Tandy Color Computer ... please specify. Shortly available on disc for the Dragon Data or



THE BEST FOR ONLY

£45

EliterCalc has had excellent reviews in the American press and an

"Elle 'Calc is a great spreadsheet or overant"

Stuart Hawkinson, Rainbow

John Steiner, Micro

"Very powerful program essential to every serious user" Mike Jarvis, M & J Softmare

> ENGLIRIES INVITED FROM RETAILERS AND DISTRIBUTORS (HOME AND OVERSEAS)

MICROCARS 2 (09363) 560

DRAGON 32/64 TANDY COLOR COMPUTER



USED TO be just an average software resident until i rest Mas. Max is a computer pogram, a sentent cyber being, wholly and contained and curverity resident protables to the Dragon in the aftic computer laboratory of reg. American house. Non the same tim my acquiring the software time.

The process readent of the house was contain Photosyn Magiptian - Interview occurs Photosyn Magiptian - Interview Genus Cocharge as being on call for house the contained of the photosof table of the second of the photosof table photosof of contained was exceeded packade interview of a loss of the second packade interview of the second second packade interface he could enter the work All these if has assisted being was been was acceled and on the second the the was acceled and on the second being the dock.

Max caree into being as a another propert. His areas stands for Mathysthenia Annesation Execution program. That accular program MAZ but rever and ever proof a familie viceo chip for a speech processor. Ti king poi was boat as a filterine between Fasalandi and the papacet and the boate chip and the fasal calare Poggam. Nouse boate and boat a filterine between Fasalandi and the paper dependence was just another pogame. Tably septembolishing that point standard points and the second

For years Patiesson Mogakyle had been striving for this, the moment when he would actually full his dream, to meet Capsin James T. Krk aboard the USS Enterprise. All the planning, the lackurs of calculation, and enclose hours of measing this has would any of those He presend the PMD translat overside button, was instantby dimenzionel and learnest aboard the stansing of his dreams which was ficating serverup on routine patiol in a nearby Tanty Colour Computer. Needless to lay, a contain Valcan's epetimises Illad considemaby and Capitain James T Kirk was were started indeed.

Meanwhile, Max was maintaining the link, waiting for the code to bring back the professor. He recalls little of those presentience years, but what happened next, he remembers sividy.

"I was recenting at the equipment in the lab." Max explained to the once, the PMD stabiliser was within toerarine, the secondary balance circuls were on stated by, the targoth was just beginning is whisfie, when I heard, through my auto input device, a territike creating sound." This was lare identified as a local thurdertore.

Seconds to act

Suddrive, the power fluctuated wildy, I executed the emergency subrovine, to long back the professor to fiteelevel. I inver that if he were caught in a RMM based dimension when the power filled he would disperse with the clearing of that memory and the list largew."

The bury ratio of the intervention. The Pertinance Respective failed cales to the Res of a metalitizeners related on the PMD stabilities. Realising the bury second to zero. Make Dealtris the power work to zero. Make and manakemed to a neety public deline and manakemed to a neety public deline power way supplies Perturbation mode opense ways supplies Perturbation mode powers ways supplies Perturbation mode powers ways supplies and the submitted

The power surged built tailed, burying but several chips in Maris EPROM pask. The sudden elevation in voltage newsinged some primal binary codes in Maris programming resulting in a severed link for a contexpert and self-aurorease to Mari

Several months passed as Max searched in vain for the lost professor. Finally he decided the had to have trumen help to bridge the gaps between himself and the residence of Heatwork. So the officiade hemself into a pheterypesitting compute and advertised for a lonard for the house Mo.

It don't take a mentra giant to figure cut that, as a software reviewer, in word in here it made. Max would supply me with an unimited amus of programs colorised from Seads of his is the industry, both human and upple. It means would maintain the horse in Heakendh, buying him the fitne horse of the search industry the andhesis constors of settleses would for his load particular.

By now you may be exceeding while it is that has to do with Dingon Lower end Dingon uses in the Unique New Service Ser

And what are my qualifications for explaning American software offerings to you? Simply put, I an sating in the thick of it. I have first loss at many latest of American Tardy Colour software, even abless the consumer. And many American poduces are something to make their colours the consumer.

Set is at least the notifier months -where you, the Dragon same of the work, decide whether you like this column --Max and t will be bringing you news and reviews free America. Incidentally, Maxanys to remined you theil if you run advise Problemsc Meglophe in any or your Sam Trait programs, would you please ask ten to show home?. B



Michael Watte tries his band at four and seven colour printing.

IN RECENT mattrix we have been prebetted with an every growing range of collar printers and plotters how a variety if sources. Notable among the mathroad must be the MDP-45 bury colour printer plotte and the Tarray CGP-220 sevenobjour in-lar printer.

The MCP-40 preser poter from Japas, deributed here by Moro Pergeneras, in Mitcost with any moro supporting a Centronice parallel pote and affect comprehention locities for the production of program lists and text or graphics in any combination of the flow available colours, red, blas, green or blass.

Conterned in a next, wedge-shaped mechanism and dark thousan coloure plastic case this compact primerplane (28)-177-657 and another thousand parallel technological and a set of hur hard the simple minimum bill point persis which are said to be capable of charang and 200 meters.

MCP

Built on the same mechanism as the One, Terry, Samp and CBM pamarpheters the MACP-40 (Moco Colour Pristee, ref Maie Characteris in locale as controles supported costs. 129 bits involving MAC. The MACP-40 service is the same relevant, my only relaxation being to do with the pentalminisming particular to white the penhalism in the same beam of the same same same to be no out broken break. In terroaction of the out on broken break in the penholder through does want but the pentholder through does want but the penholes.

While off the subject of the meanest in this 4 fails to also that the overhead to basis adequate. Underdeeling it covers that is adequate. Underdeeling it covers that is a second of the second of the second within these real and and the second of the theory and the solution and the second of the The computer and the printer. As anyone with his speech hours trying to interface lifetim of computer equipment already known ending in this work is that implicit. Interf the MCD-40 cut with a wole range of endors and in that only naw two posteriors with my Ostorne 1. However, they are all different and nearly the only solution is to make such that your supplier sets energy.

Three small awateles on the top of her prefer herdle ten feet, color selection and per change while indicator lights are prefed for yower on and paper cut. Underweath the MDP-44 is a bank of hour DP-widthes Anich hands the selection of 45 or 100 characters are line (Dp) 51 Cataloga Plasmic Only of Cataloga Hellow Cataloga Islamics, DD 33, Dp 4 is unstell.

A set test mode is provided, when type holding the line lead which clean as powers is applied the printer will churs out all Bio the weaktelle AGC characters as in loan colours. Normally, at turn on, the prime performs a short will be prime and assess small boses, one is each calcul which, while slights analyzing at threes, deep at leads there the life prime are memorial to all have the available.

Using the MCP-49 with the Drogon 20 presented absolution in portugation, the presented absolution in the present and light them. According to the instance finational area into its the preserve using the LDPRMT constantial However, it is used to the the them to the preserve using the LDPRMT in 21, tools to be convert works avery time. A test budy of the PRMT in 21, tools to be preserved and the the subble modelations, we are sent to the auchims by any of the PRMT in 22, tools and the subt preserved are a subset of the subt preserved and the subset of the subset of the PRMT in 22, tools and the subset of the subt preserved and the subset of the preserved and the subset of the subset

Script is available in a range of scatfrom 80 columns across the four-left paper to one single column and it is acro to reliate the output how the pinto Prough 96, 180 or 270 degrees making it possible, with some work, to produce large, multi-coloured lefters lengthways on the baser.

Anomening is the information supplies before than Carlos on distance basis that Damma and on distance basis that Damma and on distance basis that Damma and distance basis and the supplier of the supplier of the analysis of the supplier of the supplier and the supplier of the supplier basis and/outside that and the the present operation of the order being enterminish there no way of theory and a supplier of the supplier of the supplier basis and/outside the supplier of the supplier basis and the supplier of the supplier basis and the supplier of the supplier basis and the supplier of the supplier basis with the supplier of the supplier basis of the supplier of the supplier of the supplier basis of the supplier of the supplier of the supplier basis of the supplier of the supplier of the supplier basis of the supplier of the supplier of the supplier of the supplier basis of the supplier of the su

I fluxed the Marie Casur Printer to be an elementary useful and versates tool vench while shifter slow at about 12 characters per second to probably more than addcases for the home more user vencing to probable recessional hand coops of progtems. The ability to produce high quality, how-coops agriculture per character and so an mast more in attractive to many, and the how-coops agriculture to many, and the how-coops agriculture to many and the data counter like the one true Default.

All ensured \$130.00 including VAT the MCP-48 is extremely good value for mervey. The permit out about 52.00 per aut and the paper about \$1.00 per iot making this Sur-colour primer pomer a most attractive procession.

Tandy


The Tamby THS-60 CGP-200 Colour to At private takes another hosel approach to the problem of multi-colour printing by making use of an "on demand" inc jet making use of an one applying them to the open with a sub-balancing home balant.

Standard in a solid cardward hos in





450 PRINTE-2-PRINTE-2, PLOTTING RELITY 468 PRINTE-2, CHR#(18); "LR" 588 X+SIN(S1#288,5+T+COS(S1#288,5



4 which has adequate polyphyme its missions is a polytophyme its missions of the second se

The multi-come obtained plants case measuring about 28km by 36km by 56km by may solidy made with none of the feasibiby evident on some, low-cost printers. I had no incompanient of the printer but an save tract if the osterial finite and if is any indication. The quality of construction is fush. Sources with both sector 195200 or 1955. NS222C) and Centronics ports, The DDP-22D is comparison with all the Trandy using of computers as well as the Disport 32 with quite a wide range of others. As ever, my advice would be to initial on seeing the prime consecution and working with your own computer or one identical to it before values or instruments.

The COP-201 sets the subtable of the end of other reproduction, difficult to polar colours pellow, magnetic and constraints of colours pellow, magnetic and constraints all other colours. It is also to profil both all other colours. It is also to profil both makes, the others standards or alongstee - black, the others standards or alongstee. - black, the others standards or alongstee, the measures of did dids pellow, the the pre-setting of entire. To other, the the pre-setting of entire. To other, and profiles and values the subtable colours of shores to provide the subtable colours of pellow.

The documentation supplied with the CGP-320 is quite poor compared with the normal high and informative Tandy standards, in view of the novelth of this "It-start" approach to colour printing i was suppress to find that the manufactual had filte to say adout how the update works. In they appendies from the print fixed to the paper by means of a south fixed to the descing spart. Executed of silent works, page to an over the print fixed to the south paper. It is fixed to the south paper of the fixed to page to be one of the south is the Server papers. If he head not herefore and an outpaper.

Used with the Tanky 16K Colour Computer a screen dwing program is available. I nould imagine that is can only be a matter of time before a similar utility betomes allow, the screen dump is self to 16ke between kis and 20 minutes — the exemples that J have been have been most investment.

Prior typed is uther solv even in ten mode at 31 characters per second (notifal). Even using the character dump ball into the prior as a test mode I was unable to better 50 CPS (10) have × 88 into balances dump in about 27 seconds). If tainease most of the primer memofecturers seen to base succed speeds on con- IM





The first of a service of advorbance regionality the inclusion table is a facal plane. The recorder performance and other particular states are planed and facility of displaned of the inclusion are perpending away the terms on only differences against the ensemption are an appending away the terms of the difference against the ensemption and and an any ability of the baseline base, and there base is a baselinese, you must gold to the baseline base, and there base is a baselinese, you must gold to the baseline base, and there base is a baselinese. You must gold to the baseline baseline are off the baseline baseline and there are baseline at the terms of the baseline baseline and the area baseline at the distance.

MXT I/O CONTROLLER

SPECIAL Objections are an integrate current charge for remoted areas (Central Handing, Alane Scalanes, Scala Erd, Backet ararching which requires arrandor fitned control of canonal device. "Simple to curr Hings in Catelings with segment, "particul devices conlocationism at event," This segment specific to particul devices conlocationism at event, "This segment specific to particul devices conlocationism at event, "This segment specific to particul devices conlision to segment in BMMC, with 7 Nove-BMC constrained," COCK CLIDE SET, CLIDER SHITCHES, SMITCHES, MITCHES, MITCHES, MITCHES, MINTER, "Landon data", and an and an analysis of the services of MINTER, "Landon data", and and an analysis of the services of

MARD - With 2 Relays & 2 TTUC MOSTINE EPR.95.
 MARD - With 2 Relays & 2 TTUC MOSTINE EPR.95.

FROM JCB MICROSYSTEMS SPEECH SYNTHESIS MODULE

New Jorder sold in large numbers throughout the ULK and Langue, this catifidge include has an interime socializing. Approximately 150 month arrepredefined, Cari easily be incorporated in domining BARCE philipsets. Say to 40 senses can be speciers from one command, advanced on advanced a size are

SOUND EXTENSION MODULE

This call depression would be allower price Diagon to constant Alussic and Sound and give centers. Has near built, in sound other being games, etc. Laws because in BEEK. Then 11/1 county, blocked with sourcements of the de-

BASIC ENHANCER/MERGER

This based new stifting, written by John Batthot, can save up to 10% of memory in a momenty preserved MAPC program. In utips care REMA and annexessary Spaces, in-organises COSUIDs and COSTDs and remains multi-statement lines, which can be longer that 355

Only £7.85.





The treed gather in the waters has to Rauli lying to define the booth between the standards by this apply becausing, apply PEREENTY, the because is fluidly call and, the conversion network prices applies near the boother between the prior. The first is an approximately thick—and there there is the based of the standard applies in a base server pert on the Danges, *LZ* and *LS* and the Danges of the based of the standard based on the Danges, *LZ* and *LS* are entropy to the Danges of the Danges of the Danges, *LZ* are performed and the Danges, *LZ* are performed and the standard based on the Danges, *LZ* are performed and the Danges, *LZ*

THE DRAGON USERS CLUB

In time 1449 March 1980, the CAD will be run by Computerbases 1980 IBL Description in the upper prevention of access of the CAD Name con-2000 members workflored, it however, in the local intervent and the members and a larger regarding the Sad Name CAD members will incolor full details there as shortly. Meanwhile, it was however, will access full details there as shortly. Meanwhile, it was been are memory infrast achiever distributed and the additional barriers.

ADDRESS		
		TEL No.
QTC.	TITLE	
	POR POST & PACKING MEPURTHER DETAILS	1.7.35 HLUD (79.95 HLUD (79.9
SCOUTEM P. A	BIS MAY DEDUCT HAS P. CLAYCARD/AMERICA Nothing and give:	
in the second	10	in Dec.

A Section 2 - Section 2 -

NEWS, CONSTITUTED OF TELEVISION TO ADMIN. HOWE, DIVERSING TO ADD DIVERSING THIS IS ELECTIONATED IN FIRST THIS IS ELECTIONATED IN FIRST THIS IS A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY OF A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY OF A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY OF A SECONDARY OF A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SECONDARY THIS IS A SECONDARY OF A SEC

THIS IS THE BIT INFOR ME

 tinuous repetition of the same sharaktar. By way of compensation for its slow space the COR-200 is automatic relat.

Loading of either the roll paper or single out sheets is straightforward. Care is needed, however, to ensure that the roll peper is correctly aligned to prevent hangues.

As with more motions privites the GOP-200 speet reproduces in the low resitation of the second speed of the second speed listing attorney the way in erich the resolution code may use and more than the second speed of the second speed speed speed of the second speed s on the back logother with the parallel 11 and the mater summir social.

A sample set review, prevening the FEDD both raits or understate the commany, profile and allows a check to be made on the primal and allows a check to be made on the primal events that and allows a check to be made on the primal events that and even the the CED events that allows and a main state of a china profile and even in the sit mage mode in devices and even in the sit mage mode in devices and even in the sit mage mode in the prime the devices when any cost of the prime the devices when any cost of passes from the site of the site of the prime the devices when any cost of allows and the site of the site of allows and the site of the site of allows and the cost of the site of the site of the site of the site of allows and the cost of the site of the site of the site of the site of allows and the cost of the site of the si

Direct comparison of these two printers may be said by some to be unnealable bearing in mind the wide difference in costs and facilities, however, I am convised that comparisons of this sort any valid. The MCP-46 and its coulting repreaer a very cheato, high-quality if pomewhich show solution is the probability of an end of the solution of the probability of developed between the probability of the solution developed for the solution required limits has solid and developed for the solution required limits. The solution developed probability of the solution results of the the solution of the solution results of the solution of the solution of the solution results of the solution probability of the solution results of the solution of the solution of the solution results of the solution between protect is used to extend the solution results of the solution of the solution results of the solution between protect is used on the solution results of the solution results of the solution results of the solution of the solution results and the solution results of the solution resul

There, in fact, as a result of the work to this article, purchased as MCP-ID to production of business graphics. The CGP-220, while extremely well built and robust, is unlikely to find its way into my stroke of anyimment.



TH. Paralace Lines March, 1984

to 1	iry
rid	es

nunk rédise kavitetigen

ICP LDD - - - X STD - - Y CMPX #5400 BGT (LDOP LDX #3700) ICM #37000 ICM #37000 ICM #37000 ICM #3800 BOT BLOOP BTT BLOOP BTT B

Al books are PONEd clined on in the test screen (15N-decimal or 400 herd). The sample plenearies is PRHC of a position 6 and the scretter takes it nearly off the page. On synthesis to have off the screen, develops white other and is observed to do to the scholar and is deterant every time the property is labeled, one cannot combot this factor. ■



-2-510-51 29 IF PEEK(1024+280+PO)+143+64 THEN PLAY*TI2CEDECCEREDEC*1PRENTED,*fime11*11F+F r#2075* TA FOR NHITOTOODINENTICLOBURTURN ARRACIANE CODE++++++ 79 DATA ME. 07.60, 10, ME. 04, 00, EC. 03, E9, A3, 80, 04, 00, 25, F7, 45, 70, 00, 80, 43, 50, A3, 10, 85.04.00.25.F6.39.*DE 40 P-P-118EAD ANI IF AM-"END" THEN RETURN 41 POREP+32050, VML ("BH"+80) 43 PRINTED, THIS GAME IS OVER 44 FOR N-ITDIODOINEXTINUN 4" IE GHAD THEN PRINTED, "CRASH" AN 15 SHALL THEN PRINTED, "BANG"I 57 IF EN-5 THEN PRINTED, "BIBINETICIC:CONTENTION 54 FOR N#1T01001NEXTINEXTIN IS PRINTELOD, YOU HAVE CRASHED !!!! 34 FORN+1T050001NEXTN



THE OBJECT OF the project is to simulate the famous Rubic cube on the Dragon, with a subrucke to networked the movies that one has made. Using this facility, one can back track, undoing and rectaing previous movies.

Because solving the scale may take much time, a table to save only position in a data file on tape to also incorporated. Userates, here is a choice at the beginning of the program between starting a may cube and using one silvedy saved on tape. The algorithm ty which the updated session of the cube is determined is the maker and of the possism.

The code has iss idee, each with more defeet spacers. There are as is possible colours that each spacer may have. White manys corresponding to start with the simple arrays corresponding to start with the immutance of the start of the simple have a code, mathetic colourised with the postage. The simple start with the indexidual equate later can be program. Depending on the noise that the user has made, obtained is an invest that the user has made, obtained in the article of the other is the article will be subject over

Sides

On numming the program only there idee of the cube are visible at any one time, A. B and C. All the movies that are possible can be intake by revolving one of the oblames, whether to one solve. There are so variated outwares, V1, V2, V3, V4, V5 and V6; and three horizontal outwares, VA, PC H3, From the transfer.

VT = 8(1, 8(4), 8(7), 8(1), 8(3), 8(3) VZ = 8(2), 8(5), 8(3), 8(2), 8(3), 8(3), 8(3) VT = 8(3), 8(6), 8(3), 8(3), 8(3), 8(4), 8(3) VF = C(7), C(4), C(1), 8(3), 8(4), 8(3), 8(4) VF = C(2), C(2), C(2), 8(6), 8(3), 8(4) VF = C(2), C(2), C(2), 8(6), 8(3), 8(4) VF = C(2), C(2), C(2), 8(4), 8(3), 8(4) VF = C(2), C(4), C(3), 8(4), 8(3), 8(4) VF = C(4), C(4), C(3), 8(4)

Errors too to how or

H1 = B(7), B(8), B(9), C(1), C(2), C(3) H2 = B(4), B(3), B(9), C(4), C(3), C(4) H3 = B(1), B(2), B(3), C(7), C(4), C(4),

II. for example, the user winkes is revolve V3 downwards, then the codes contained in the analysis are changed to the new code of the square that has "moved to that position". Thus, in moving Y(3) downwards.

NS becomes A(S) 1 NS becomes A(S) 1 NS becomes C(3) 1 NS becomes D(S) 1 NS becomes D(S) 1 NS becomes D(S) 1 NS becomes P(S) 1	22) becor 23) becor 28) becor 28) becor 28) becor

However, if this is done, the sid "podes" of B(2), BHS and B(3); C(1) and C(2) and best so it is necessary to have some potent of these values. Before the first moment.

28 Drawne Lisser March 1984

AND PERCENTERING OF A DESCRIPTION OF A D	
add FMR A=1 72 7	
This RETURN TOP PERMIT PROVIDED FOR A TO RECORD STORE TO RECORD TO REPORT TO REPORT A TO RECORD STORE AND THE RELATION OF A TO RECORD STORE AND A TO RECORD RECORD STORE AND A TO RECORD A TO REPORT A TO REPORT A TO RECORD.	
The RETURN REPORTED FOR DUTY AND A REPORT OF A DUTY AND A REPORT OF A DUTY AND A DUTY AN	
BOD RETURN BOD FOR NYL TO 3	
NO RESIDE NO PERMITENTIAL POLICE CONTINUES IN A CONTRACT OF A CONTRACT O	
And a structure of the	1.04
	1
His FOR B-1 FE 5	ch
NOL HEAT	
HE PERCENTER AND ADDRESS AND ADDRESS ADDRE ADDRESS ADDRESS ADD	
LINETFORT REMAIN ALL REMAINS AND A CONTRACT OF THE REMAINS AND A C	
	1.00
The second secon	
CONTRACTOR ADDRESS ADDRESS (CONTRACTOR CONTRACTOR ADDRESS ADDRES ADDRESS ADDRESS A ADDRESS ADDRESS ADD	
LEW MEMORY INFO PROCESSING AND PROCESSING ADDRESS OF ADDRESS ADDRES	
17120-0117101-012 11110-01170	
	6
1112 FOR #-1 FE 1	
	4
	1.14
1220 Bith 10 402,126,74,142,66,135,116,106,03,140,40,40,116,106,116,116,116,102,002 The second	1.2
	V.
	l ñ
a new content where	
	1.8
1.545 RETURN	
	de
Line Dr. D-MURITICO-27, CP-411, THEN HEREN 1950 FRENT CO-44, CHART, ALA Line Line, CALCERT, CHART, ALA	
Land Land, etc. (1997) and an array of the second s	1 8
	H H
[140] M. San, Bry Day, and M. Shi, Shi and San, Sulfa and San. Solid Phys. Rev. D (1997) 111 (1997) 110 (1997), 11101 (1997) 1111 (1997) 1111	1
ANALY LANS	
1470 LINE - COARL (COARL (TOARC) (FIRT	
	1.4
	v
191 191 191 191 191 191 191 192 192 192 191 191 191 192 192 192 191 191 192 192 192 192 192 192 192 192 192 192 192 192 192 192 192 192 192 192 192 <t< td=""><td></td></t<>	
[10] The submitted state of the state of	v

P = 0/3 P1 = 0/5

instead of the last three of the first moves

lar these

P = 0(1)

at the and of the second set of thinks

By doing the above none of the cades of colours in the arrays are lost when swipred.

Each of the 15 possible sets of anisy changes are calculated and made inte subroutines of the program.

It is necessary to precode the amage global, with their correct colour at the segments of the program (if the user is not continuing with a position samed in a data the on tage). This can be done it have ways, where sendowry is with one colour (code) to each able (as with the trained code).

Disadvantages

Both ways have their disablewilliges. It the accord is used, the user med "much dis" the color op himself before starting. It the first choice is taken; the program would have to be connewhat overcomplicated because a truly sendow starting plant may result in a cube that is imposable to rewarders.

For this reason I have decided to code each side with its own code number

It is important to be able to reade investiguidaty as it is necessary to choose comhay the avey which determine the movie's As I have aud, the displayed cole has six vestical columns (from left to right VT, V2, V3, V4, V5 and V6) and three horizontal enes (H1, H2; and H3) — from top to helium).

Descriptions (D. Heures V. Y. Lo, A. Houses) (D. Domit - W. Howyke V. Ju, S. Bolwi, F. Howes, Vol Ju, D. Domit - H. Howes, V. Liu, F. Bowes, Houses, S. Vu, D. Cohen, Y. Howes, W. Hu, H. down, T. So the DMEDTY: Jeps move the visital columna, J. 2007/01 Howes them down, Physiating 1 toward H1 at 2 mones and rught, 3 moves to all the description of horizontal columnies (Jul). The description horizontal columnies (Jul), 2016 move them rold.

right. To muddle up the cube, press any of those keys randomly, then press the solve bar and the cube to be solved will be drawn.

In the program, the INKEYS function is used to return the key presend to a string variable.

Drawing the cube takes longer than the actual swepping of the contents of the arrays. Because of this I have decided that instead of the updated version being **P**



 drawn after each move. The never version should only be drawn if the spece tar is pressed.

The sube requires 27 different squares (yety three sides) to be drawn on the screen, each with the correct colour or nativer contained a0% Deft.

The top left have or-extinute on the grading system of the space to be chann's read from a data statement, the computer their obtains the space (given the oroptimals astart from). The control of the array conseponding to that spacer are examined and depending on the code runnee, the contect colour is painted in the second

Unhownedly, in the graphics mode that I have chosen only have colours can be used; grean, yellow, like and led loads numbers 1, 2, 3 and 4 respectively. If the code in the samy is 5 or 6 a small separe in drawn within the original separe. This is assume this or not necessarilized.

After the first nine squares have been drever, the compare reads is different array and chave the appropriate shaped square. The same hing occurs after the ract nine have been distant, always painting the consist colour is the square, cansepending to the occurs role.

Saving time

To save time repaining a square that is already painted the same colour, the computer tests a point which the square. If it is the correct colour to that which the code suggests, the computer will return to the paint sorting and no one. The paint parts

To add interest to the game, a different sound is made each time a square is painted a different colour.

If the P key is preset, the solrrowine to saving one's position on tape is called. It simply sales the user is enter a tape and press record. After the user has lidd the computer the name of the data lide, it automatically records the current contents of the array on 15 the tape.

At the beginning of the game, the user is served cube. If he does he entires the tape and grows the name of the file. The analysis as then read of the file. The analysis order as they were written. Once the space-bar is presend, the cube is seen as it was and one can continue with it as before.

If you with to nettice your previous moves, press the < key Press the > key P you wish to move back towards the postion when you entered the retroating mode. Press the 7 hay it you wish to toward to works and continue your way towards weight and continue your way towards weight and

Meconomics reversitive relations is very single. At the commencement of the plane a strong array is chemistrand to be placed as a strong the single single single strong the single single single single single strong that the P and space bar (which we are assume very single single single single the result black of the S array. The computer the relations of the S array of the program and swelps the sites are at programs and swelps the sites.



The family favourites for your Dragon 32



NEW RELEASES

MYSTERY OF THE JAVA STAR: Fourpart (over 100K) educational idventure for the older child, 3 levels of difficulty. Packed with challenges, puzzles and information, \$27.95

SHAPER: Comprehensive sound effect utility. Create, store and modify machine code sound effects, for use in your own programs. Comes with a store of 100 effects and a comprehensive manual. 19,95

NORTH SEA OIL: Simulation game, Run your own oil rig and see how fast you ran make 100 million dollars! £5.75

DEALERS: Phone to new on 01-514 4871 for our conservicessive establisher	PDS	
JINDEPACK: Frimary school education		
INFANT PACK: Prevention I characteric Counting and alphabet.		
children.		
FINA GAMES: Come composition for all age		D1.51
811 year alds. FAMILY PROCEASEs Concercionarian at the		66.40
		10.01
WONSTER MATTER, Mean based relacation for		
HODERD I stretaining fishing name. 17 alarse		56.95
EXPERIE Hald's praired dualege pane- PLZZLEB: Digars people game, Theods.		66.97
whole family. Facked with Kustarys,		
PETTIGRENS DIARY: Epic WK adventure for		

Available from referred branches of Boots and all good stockists, or by telephoning Across Barclaycard orders to 01.511.4371 or by sending chopsel P0 to: 109 ETOX BOAD, ILFORD, SSSEX 162 P10.

OM doesn't live here any more

Pam D'Arcy introduces the Basic shuffl

THIS AVTICUE represents an instemp investigation to help you impose pour over programming techniques, bankah the CM error synchrom, and make the best use al available store. Duri of a despendant needs to make the most of the available tennory in programs such as bragen barris bakes to do the second over the second over these. Toldin you the fusits of my research which takes the guesswerk out of above high your data brange areas.

Dividing

If bogin by dividing the Dragon's memtage is too it was assued, the L.A. is the the 1508 bytes meanwell for running any Basic program. It is an optimum area between area and 12288 bytes which is necessarily relatived on. Non pages (11.42, bytes and us to agent pages), (11.42, bytes and us to agent pages), (11.42, bytes and us to agent pages), and the memory methode on. Non pages (11.42, bytes), and its leader that were been bytes).

C is the actual Basic program — Is side is dependent on program and user requirements (August's issue pave an insight into how Basic estaments are held in store and the inserties, while D is the network of this acticity, while D is the normal 1 basic reserved by Dasic unless user written matchine code subcourses are used.

In fact, Basic further subdivides area D between simple variable and array table pointer storage (which I will call area F) and smore storage Kil.

The size of area G is that of the last valid CLEAP statement insued. When find switched on, 200 bytes are reserved by default. PEEET ablices by the last valid CLEARI statement issued. CLEARD is ratid. As its name suggests, this area is dedicated for use of string (5) variables.

Area P Isail is further subdivided. Any ained apace convenences in the lowest address (= end of program address = 2 ing in this arrangement: streps variables (p, array pariest tables (), unuesd space (), array pariest tables (), unuesd space (), there investigate tables (), unuesd space (), there investigate tables (), unuesd space whether investigate reserved to the above

Thus when first switched on, the map of areas A to J is as shown in Glaguer 1, with MEM (~ available J area) piving you balot bytes. CLAND reduces G to 11, sets start value of C to 1507, MEM will now give you 2015 balots.

To go back to area F. Simple variables are any variables that are referred to without a subscript. Arrays are any variables referenced with subscripts.

Thus if a program millers to a weekely 45 and a variable ASIC, two public separate locations would be used by Basic when storing information in those fields, a simple variable location and the attent information variable and analy pointer lable. The simple variable and analy pointer lable. The simple variable and analy pointer lable. The simple variable and analy lable pointer lables are enterded as each new variable is enclaurtional during increases exercises.

Each item has a specific layout as touched upon in the August issue - see point to a location in the basic program tog $A_{\rm H} \sim 740 {\rm EM}$ MMRs⁻¹ then listed coexistwhole space by carrying 740.D MMRs⁻¹ to a boattory in the winning state built indexed points the variable directly to be caused interest in the point state, built indexed to access in the subsection of the lister the variance in the subsection of the lister the sing states and the simple variable storate causes to the location.

Array pointer table storage is arranged per named any as seven bytes overhead one per subscript item (including II) for bytes, og DMMAGIA) lakes up 7 + (b × 6) - 20 bytes. The five bytes per item ore laid out as bytes teo to sits of the simple variable storage shown in Diagram 3.

If Basic encounters a subscripted verable that has not been the subject of a previously encountered DM statement, it automatically sets up an array pointer table assuming 11 entries (in DM semaneral/DL.

Shuffler

Basic is a better shuffler than any only sharp could be. As mentioned above, the simple variable and array pointer table storage area is used contiguously from the lowest address, simple variables preceding arrays.

These if an array is defined with simple instations of appearing in earlier DBB statements, every time that Basic encounters is new simple variable, the anny pointer tables are shuffled along to accommodate the new simple variable. For example:

100 DIMAS/1000

-
- 1300 FOR V = 1 TO 1900 NET V.REM
- 320 FIDED = 1 TD (
- 1340 ASIDI ASID +
- 1360 NEXTO

then the pointer table for the only array (AS) would be net up at the lowest memiate address. When the variable V is encountered for the first time during execution, the array pointer table is monoid along servin types to accommodate the rays atraptic variable. When the variable is accountered for the first time, the arrays are monoid on a further server base so.



theorem 1, the map of erves A to 2 when first ewitched on

March 1994 Dragon User 35

SUPERIOR SO HI-RES

EDIT 4



DASM





SOURCE TAPES





· It has all the features of both CASM and Machine Code, it is the ideal combination





A powerful machine code monitor which

VISIT YOUR NEAREST STOCKIST OR FOR FAST MAIL ORDER SERVICE



GRAPH



For HERES or EDIT+, down bar charts direct to screen and printer. Print module for Epson MX or FX printer included. Introductory offer of £34.95 if purchased adv HERES or FDIT_EPA.96.





Books and Entris Intensisting Drage Machine Code by Ian Sincler 2136 Advanced Sound and Graphics 2136 Programming the 6809 Zavs 2125 Leventhal Postage on books: SOp per book eccent

The following INST programs are nonavailable for use on cassieffit with the HURES SL by 24 Sorrers

BUSINESS

Costatase, Business Accounts, Stock Control, Inspices Statements, Maler-Actives, Rock

Also available: Home Accounts, MST Calv. £19.95 0001080

obser Centre, Silv Branken Real (CE10) 11711

The Ganationyan, Grandfare Superstree, 3rd Room, 204 rags Street, Enlangtur (SE2) 3898/278

while Computers 201, 24 Park Row (2012) 294388

Tapa Gargeon, Milar Havie 31, 2011 Shirel Arbourne

First Byle Computers, 22 Bare Derive Landar Buol, Derly (CELS, MR28C)

DOME?

EXTRAS

Garran & Computers, 32 Plotth Street, Northan 2002001 (0303)

1550X The Sensus Users Software Denne, At Relegancie & Berley, High Scient, Chelmithine (S4, 5677)

Spennerski & Gerani Spearter Go., 20 sprakted Rold. Settersigh (2052) 54823

D.1 Camputers, 3 fairs Square. Streetuge (2020) 10001

tra Bank, Heap House, Oundrum Root, Dudvin

1117

Roberg Computers, 242 New Rosel, Ocatham (26216) (2620)

Mediata Domaster Unit, 30 St. John's Road. Tarticolgo Storis (DEC) 42885

encipiest Nar Decharco, 1 Buy New Rod, Pestwich, Kenchern New Yorking

one Computers, 201 Dravit Street, Biological (MJ) 20140

JORON Sufer More Step. 20 Streamen High Root, SAVO

States (New York, States LM, 34, Delet Street, NW) CO. ON 257

NED LISEX Under Communications, EIS High Sevent, Panelers Enal

AGENERAL AND REAL Formula (16, 21 price Tree) (store)

Di Amini 104-65 184 Scrimp-M

Simple Market, 27 Goospile, Hority (KID) 198-014

ungeben Dersauber Gerben, 1º The Hall Livingston, Workeiham (2000) 2010/18

SUMEY Computatione 201, 8 Central Provide IP, Natio Hill, Summ 102, 200 SIGS Tradewise U.M. TM Adult Manuel Public (TV-AU) TMA

92000 Game, 24 Goucotte Rod, Brightin (2073) 108424 Alasta Andrea Lat. La Estanació 73 Res. Road. Manuscuto

Oper (INCI) 621522

Propercial Computers, Nanch Street, Nancel (1977) Automatic

YORGHER Compute Ett., Frome House, Landwitskie, Bractive CETH-564800

INTERNOOM.

Dragen Oaks (Canada) Die, LEE National Street Word, Sci 2003, 109009/10 (Gal) 961 9013

CANEL

The Exception Pachman Confort Ltd. 5 Pagern Street, 34 Ann IEE 230648

informationergherrer rs. Dissorgl. Buts 242, 2004

advectable at column has been deeped in the



COMPUSENSE LIMITED

Box 303, DBAD Graws Lanes, Palmers Gram, Landon N3 4HT E1-852 0683 9336 24H Telev 893373 (EEC/M) E

CE CONTACT COMPUSENSE (Please add 50p p&p per order)

Books and Extras Introducing Dragon Machi Ian Sinclar



DVL00	0 1	2	2	4 5	0
ŝtrinas	2 char, name, 2nd, char+FB2 (=8 see names)	dury. len. of the string content	null	aldress of string content	mu11
Numerics	2 chors name	05 19		value in trai format	

Diagram 2: each earn has a specific by

0 1	5 2	- 4	5 6
2 char, nase	Total len.of this arrey	4801	highest subscript +1(i.e. actual num

increase in aimpile and this shows of

If the string stack is used in the opporting descritor, is from the highest address doesn, Any time that a string variable is agained, a new iming stack location is set up (spain, see Augusts stack). Attroog if it was previously atting contained in the stack, the old cardear remains themtheorem, when shall have an object in the steeps. If where out it we shall be further new steeps. If where out it we shall be further new steeps. If where out it we shall be steep state.

The implications should now be becoming dear. OM may occur during a program when executing a CLEAR, executing a DBM, or coming across a new variable ware well on procession.

If all variables are presented to Basic in DM statements following the CLEAR. ON well not occur in the middle of a program num, as the maximum regured data statage area will have been satisfactory allocated prior to intertring the main procesting nontrine.

If simple variables are presented before array variables, it socids wasting procesacrains in studing sp array pointer tables to accommodule newly encountered simple variables. It array variables are DMmed to their required size, space is not waited as well avoid to the XP adard it.

We should new knew enough about balancing anays versus sitting space to take the guesswork out of the amount to CLEAR, the number of records our processes can accomposite air

Having webbied on the machine and decided whether or not to use the PORDER AND/W construction, CLOM per payment. If not construct the PORDERA have been approximately and the port time POLIDAR in your program. If you wang out of the port program if you wang out of the port of space the version of the port and the antibility of data storage. Discourts a certain amount for implotance to construct the storage of the port watch and the the other of the other tasks to construct the storage of the other tasks to construct the storage of the other tasks to construct the storage of the other tasks to construct these to data storage. for the Basic intertenter

Knowing has each array used has an ownering has each layer plan. Not types per problem subscript host longering next, by the subscript host longering next, here are an each longering host with a valid CELNIR flague. Seeing host where you then next. I necessary, to upper between to make the subscript lights (in number of indexts you can cope lights (in number of indexts you can be abated with ada strander).

But if you have balowed the reasoning of this article, you can see that you can now given with confidence, avoiding DM errors and maximising the use of available morory on ether than a that and error basis in their exercises environment

Gilb

Detourantey, anothing CM every will not make the program footpool append. OS encors if you by and fill it absolutely to its pills of your "average" record side has been exceeded on this problem thoughts on patting over this problem without loang the data. — but perhapit that had befor the discussed in another article, not new.

A practical way to illustrate the points made tere is with the Database program from Dragon Data — which is on the Dramm Rowral Satestran 2 manufils.

1. End this program cube seekle for different things and have standardinged ny own program data file formats to its format in order to benefit from its facilities. However, blooking the instructions supplied, it find 200 seconds restrictive for the type of files that i search to hold — and it pootations the given advice on increasing this is not. The Advanced VM cone at

The program certains so PCLEAN statement, so having switched on the machine and loaded the program. MEM to 17652. Add the 200 bytes althabit CLEARed by default to 17552 bytes of atomps are svaliable for data storage as the cencers strands.

These of the proposal fines are:

110 CLEAR14000

OF M = 500

IN DIM 45 MI FTG1 DI 44 M + 11

M = the number of data items allowed in the database (~ 200 × 1 field records: 100 × 2 field records etc).

Risphy. There exerts to be less than 700 bytes of simple valuable strange inquired. The fixed size array lable (FTE(10) requires T + (11 + 5) = 42 bytes. Therefore 17352 = 162 bitwins jud under 17700 bytes to balance the number of hoods versus bitms backs.

Following the instructions separating amending the Mivalue to SOL resulting in a database of SOL records × SR characters (= 14000 bytes cleaned — the way I would have approached it too, before understanding the storage rat tool:

AB38, analy requires 7 + (901 + 5) = 2912 AB34 + 1) requires 7 + (901 + 5) = 2917 Total bytos = 5029 CLEAR114000 + A5 and AA array storage

Not surprising that with only 17700 bytes at our disposal, an OM error occurs. POLEAR1 before RUN would easily retraine this

Database can be takened to only ownneeds. Take a requirement of heo fields per database record: field one averages of characters, field soc averages five, giving a total of 80. There are the two arrays per term, so 2 × 2 fields × 5 lin/esbare arrays filters, so 2 × 2 fields × 5 lin/esbare arrays filters, so 2 × 2 fields × 5 lin/esbare arrays filters, and a social social social social disarches are served.

Weh PCLEARI, 22N40 bytes are avaiable for data atomap. Desig generazus by leaving the odd 500 bytes for Basic, other satisfies and FTS(10), leaves space for 22100 (18) – 3483 seconds. Thus, the Ad and AA array space for 258 (0 to 348) month would require.

1200 - 4004 - 17116 bytes an walkes to CLEAR, while 17156 bytes / 457 uable roccid - average atring size per record of 683 characters. This selects revery reasonably on the commencing resumments, not longedrug that some energy stronge space will be receded for Telds time, hepboard input and other bits and

The possible database of 247 × 2 feed records sveraging 60 transitions per record is its far more strateging population from a first strateging between possible from the accentrativity (instabule). However, the accentrativity (instabule), However, the accentrativity popular is made up to the accentrativity popular is made up to the accentrativity popular is made up to the accentrativity of the accentrative record external strateging of likes and instative excepts in the end of consortable films. It is preliable from Parcements List, 237 (instation of the accentrative accentration of the instantian of the accentrative accentration of the instantian of the

What's your best source of information on color computing?

New you can improve your other computing skills ... and it's may to do. IROT GoGs gives you more practical information on the Dragon" than any other publication. Nearly 150 names a month!

Every into it packed with entiting new things for you to do. We won't waste your time with filler stories. You'll not instruction columns:

 Elmer's Acode—enjoy old-fashioned arcade trile success on some controller.

 The Basic Beat—learn everything you need to program in Basic

The Educated Gunt-discover how to use

 Ductor ASCII -- get answers to your technical quotions

 Graphically Speaking—create eve-catching designs that add access to your programs

Candid reviews help you make every

purchase a sound meetment.

 Informative ads let you comparison-shop from home.

 New-product announcements tell you what's available before it reaches the stores.

With all this at your fingertips, your subscription could pay for itself with one wise purchase.

And HOT CoCo is risk-free. If you don't like your first issue, just write "cancel" across the invoice and return it to us. You won't owe a thing.

Solverble to HOT CoCle today. Twelve hig hasan are only 541.07 (US lands drawn on a US bask), Singly HI or the corpore below and return it right now to HOT GoCe Solverption Dept., FO Box 975, Parentsghile, NY 11777, USA. YES! Holp no improve my computing dells. Send me 18 inner of BOT GoOs for \$44.07 (US). I understand that with payment environd or result card order 1 will rentre a FREE inter, making a total of 13 issues for \$44.07 (US).

Get a 13th inter FBEZ when you onclose payment or charge it on your Masternard. Visa, or American Exposu-

□ MC	U VISA	D AE
	EXP. DATE	
.00 Street • Peter	INTRY	HI + 154
	O MC	EQP. DATE



Plaze 1 - analogue dottal emettical atown as a book plagran

Adding more scope

A G Manson moves on to explain applications for the interface which was introduced last month

NUMEPICXIS applications of the analogue digital interface described last month will undoubtedly suggest literestees to the interested user, but one which is suite interesting is its use to convert the Dregon 22 into a simple strategie sectificecore.

Bearty me mode of constraints and model. Under constraints (2014) and model and an antibiation of the second second second second means and the second second second second means and the second second

As a guide to how the storage scope may be implemented, see Programs / and II: Program I is the main program and II is an assembly listing of its machine code soften.

Trigger

The low marked "tagger" in Figure 1 phones in detail in Figure 2 is used in gran ourse must be trans when handling the CD 44108 as it may be demand by the CD 44108 as it may be demand by activities electronic. We show the tagger option the AOC will not commerce its activities the tagger direct. This is its activities the tagger direct. This is the packing the small transit wave form or non-specific years wave at which the booming activities are when the booming.

Lines 60-350 is pargurant inserve memparticle and the server and



SPRITES FOR THE DRAGON

Martin's Sprite Magic offers a whole host of new features for the Dranon

(b) to 128 parties. Size up to 80 × 40 × mode 4, even larger in other tables. Sprite mage uses the 355 ± 150 point for access addressing, Sories are programmatic to insystem comed and/or legisland control. Sprites may be primer at multiple time time protein a missional to 15 × end in a Network Stress may be programmatic to related ware mount, or disposer automatically area they get to the edge of the part default, and multiple and accessing the function of the competence of control of tables.

and shortened offer a control of the server of speece, serverise, some egge destances and compare engineers. Association is easily implemented with DRAVE function which swaps the chosings being used for options and they needs: even be the same size.

reprints are non-destructive Lo. they do not waise a "that". They're fael and they're efficient and they're easy to use

The Dispon now make as very own Missim command. This own, however, offers a range of 16 pre-programmed gurahots enclosions, simers, laser acunds and the like. You can also program your own ... (BEEP (six parameters) lets you generate the livel of noises into heard on other high sadity automation.

Keyboard handling has had some attention to _____ optional auto-repeat. INKEY function returns ASCII code, KEY function does the same, but wats for a keypeas. CLEAR way clears to see screen and homes the print curso.

We have also valued a solution of outries to provide set on the house access as at 5 PMC/DBS will extended currons controls providing native as well as all advices resistency. PMC2C contrains, PMC1D contrained for the treaters or products, COUCHF command charges and targets and telephone and become to be the treatment is used you the basic test premer, including edding. You can also in well and the chargets are using the treatment as contrained CH401 - each raw values.

Sprite Magic requires absolutely re-timeledge of machine code. The comprehensive manual describes the new Basic commands in full, with loss of examples. As well as the documented demonstration program. The costealter includes Drancter and Sound Dementions, Mate in the Lives loss cards. Structure Database and Passing P (2004) 212-014, at Includes



MERLIN (MICRO SYSTEMS) LTD, 93 HIGH STREET, ESTON, CLEVELAND Tel: (0642) 454883



Val. Antiparticle The Instance Construction and the South State and Construction and Construction Construction and Construction (Construction) and Construction and Construction. The second secon Once the choice of sigger aptions has been decided, the stace length is requested (not for fait lime-base) followed by the amount of V-shift reputed.

Lives 870-940 calculate the trace length and in lives 073-850, depending upon the Higger cofion, the appropriate machine mote midina is assertion.

Lines 1400-1400 Lines 1540-1550 Lines 1540-1550 Lines 1540-1550 Lines 1600-1970

Pressing "R" preserves the trace and returns the program to the main options, lat. Pressing "C" clears the trace before MULTING the main actions be:

This regard base requests the start and will of the section is be expanded and the almost of 1° DMR regulard. Lines (60)-1880 expand and print the section of taxarequested. The trace is expanded only is the X-and direction. By a judget our discuss characed of X-DMR values, and using the "R" appear of X-DMR values, and using the "R" appear and expanded traces on the screen at the same time.

Lines 1202-1270 evaluates the upser to couput the data constanced in the table to the 204406 CAC. The rate at which the data is sent to the CAC is controlled by historymany a similar delay between each type. Once the 256 bytes access in table how been sent to the CAC. The instandchmin values of the types and their togeform are lated to the access.

All file/file/file/pogram II is an assemby listing at the varieus machine code holline required to drive the CAZ and ADC. The routines are quite straightforward and should provide a guide for further eleboration and imporvement.

The scope program may be tested by applying a 50 KHz 2.5V RMS agrat to the bi-polar input terminals of the ADC, Choosing the medium time-tesse with a trace length of RD MS, a surve depicting 4 coldel, of AC situation the devicent

With a simple amplifier such as that here forms produced by various sounds, here forms produced by various sounds, here forms produced by various sounds, here the sound of the second sound of the here to be a second by the sound of the here to be a second by the sound of the here to be a second by the sound of the here to be a second by the dataset large, or a fluorescene top. The here to be the sound of the though sound is the order over the base and a sound of the here top the sound of the though sound of the top the sound of the though sound of the baset large, the baset as the sound of the here top the sound of the sound of the though sound here top the sound of the sound of the sound of the here top the sound of the sound of the sound of the here top the sound of the sound of the sound of the here top the sound of the sound of the sound of the here top the sound of the sound of the sound of the here top the sound of the sound of the sound of the here top the sound of the here top the sound of the sound of the sound of the sound of the here top the sound of the sound of the sound of the sound of the here top the sound of the sound of the sound of the sound of the here top the sound of the here top the sound of the here top the sound of the here top the sound of the here top the sound of the so

A first of possible sources of settings detts and fiscalus is appended for any intending contautures. A reprince later comparised by a sterring to advance envices usable results in a satisfactory indentifies the care of sectional data adapted from the other program ad execut datapted for the care of section data adapted for the care of section data whether the set is one of the section data of laters.

The THS 80 Colour Computer Technical Reference Manual should be everliable from any Tandy Source. It is reasonably priced and packed with information, much if which is relevant to the Dragon 32, Data Meets on the 20127 ADC and 20120







Entering The second of

DAC are obtainable from Panami Electrokis. Fields New Read, Chatterton, Oldwin, OL9 8MP.

The the INCREME CPU InCREME SUM MODER' VIGE are MIDIRE' PAR by the Durspeer Lineaure Genre, Monital Semiconduction, Bit Tannee View, Baselands, Miton Kayes, And to the 8522 Would Interface Adapter by Symethi-Noisywell, Honeywell Mode, Davidson Guare, Bashand, Benahme, Di 2012 1025, or Strettwick Denkers, Davidson, Rockwell Reven Contest, Nathow Provider, Rockwell Reven Contest, Nathow Provider, Rockwell

Three useful brokes are MC6600 MORROW Environment The Spagnering Manual which is published by Moscial Bomhern Lane, Blough, SL: 60X and Moro-Processor Interfacing Antoboxe0.5 A DM Moro-Processor Interfacing Antopoxe0.5 A DM Moro-Processor Int

81		111.00	the last the cost contra
			the life scores a strict the barry of
	The second second second second		
	AND A DESIGNATION OF A DAMAGES.		
			The second secon

Marsh 1984 Diagon User 42



The latest word on i/o routines

John Botibol puts the record straight on input output

INFUT CUTFUT ROUTINGS on the Dapon would seen an arkey area to commently. All the dual a whelp area to setting following the polycetor of an environment of the polycetor of an whelp area settil being notolist, with calmon and counter-calmon flying back and bots. Here IT by to present a carmon approximation.

Regular teaders may benefit horn referring to the July initial of Diagon User which candialed the original article — and to the September and November Issues for the Subsequent Informations

If them the locating at their output location from and their contailer association was an inference is. There are 20 memory to a SMA thing provides an available (here) signs for the entitle BLOCK. This is used in nonligation with the lower address leves to decode species for up to optim FAA or any differ low h-requirements as may be determined memory. These are also the decoder memory memory and the entities and any second

Valid

An intercept tear (as eachly horse) is a manual information (DVI) by an ordered and an analysis of the DVI by the ordered by the ordered of the DVI by the ordered by other the point ordered the table the derived rest of the DVI by the ordered by other in the of the DVI by the ordered by the table of the DVI by the ordered by the point ordered the table table of the DVI by the ordered by the table of the table of the table table vectors are reneared and the billing of the table of the table table vectors are reneared and the billing of the table of the table of the table table of table of the table of the table of the billing of the table of table of table of table of the table of tab

Here 200 big right alteresses in trees. CSU second hadding and PM Internet handling. Final, CPU interrupts an enabled by selling the research CE flag bins, while PM, interrupts are analyted by register high. Decret, while PM reserve register high. Decret, while PM reserve offset might to standard, the input if the dealer will be a to be also dealer. The mediated will be a to be also dealer that one mediated will be a to be also dealer that one mediated will be a to be also dealer. The mediated will be a to be also dealer that one of correct reserves. This mediate that ones. rapt inputs may be examined at the white of the programmers, and conditional angutients may be used to determine the enresult of the interrupt. A CPU immunpt factiencity to the CPU citip will not neareable any interrupts which may have accurate while it was blacked.

The control lease (2A1, CA2, CB1, CB2, on a PM may all be configured as insputs However, CA2 and CB2 may also be programmed as output less. All toor less have nations modes of operation for attacing impose and for handshaling purposes. CB1 is not an interrupt enable but an interrupt line which is programmed and embedd classes for the control research

The positiok reaches work to experime an instruct on the PLD is one-term and comparing the availages vehicing produced by the interval systex potentioneter. The intervel systex potentioneter the changed until the comparator changes is of the potential of the the Comparator changes is object, at inform other the comparator intervel being input to the DA converse in any be there all the indicks value.

The collabelie toky is in no way ecorected with any internal collaboration. Network Is these such a ming as a priviler rate, The EFFER ways and the second second second second (BFF27) internal toky the second second specifies a thereafter select analysis to events register (BFF27), as suggested as an input line which instead little serve as an input line which makes little serve as the tandemic optime. It is not a output the tandemic optime. It is not an output the tandemic optime.

Signed is not simply memorizant by fearly



Dramon's 6821 Bill cours

ing numbers to SFE20 as an suggested but by controlling the trequency of the program loop which is generating the sound. The value of the numbers which are used to generate the analogue culput will initial 50 the informat of the number.

All a like (c) if of PP2 do not inclusion of the term of the second sec

Virtually

Thereby presentably 1, with instrumence on the second second second second second second second contrast of a reverse as it is written in 2020 and 2020 as reverse as it is written in 2020 block and second second second second second blocks and second second second second prove contrast second second

the opheci program to arrect on

LDA	57721
STA	\$7721

and to switch all the relay

ANDA	+\$62
STA	\$FF21

To test the relay state, use the following

RELOPP RT

This will call the interrupt routine from SW1 rector when the relay is on. IPGA could not conceivably ewhich on a relay on it is connected to the Dragon's PTRQ pin.



SHARDS proudly introduce for the Dragon 32 "The Mystery of the Iava Star"

THIS IS AN EDUCATIONAL ADVENTURE OF EPIC PROPORTIONS

Taking up over 100K of memory, including 80K of high resolution graphics, and bading in four parts, this adventure is designed to provide hours of furnity fun, filled with puzzles, challenges and interesting facts. Also, with three levels of difficulty and a score sheet at the end, this is a game you can few again and eagein, to tri and bady our last score.

You have discovered an old map and a ship's log book, indicating the existence of magnificent treasures, including a mysterious ruby, the Java Star, abcard an 18th-century saling ship, that sank in the Caribbean. You must mount an expedient, gathering all the necessary information, than salarch for the shipwhock and the hidden treasure. Many skills are needed to solve this mystery, making at the ideal advertue for himstor to tamint to pay together.

ALL THIS FOR ONLY £7 95

AVALUALE NOW AT ALL GOOD STOCKSTS OR BY PHON-NG THROUGH YOUR ACCESS/BARCLAYCARD ORDER TO 11-514 4811 OR BY SENDING A CHEQUE PO FOR (2.16 TO 544ARDS SOFTWARE, 1N9 ETON ROAD, IU/ORD, ESSEX ID1 917



DRAGON USERS

OPEN FILE FOR

Patterns

Patterns

FIGH Mill ap Depres from Aberysteryth THIS SHORT PROOFLAM illustrates the range of pessibilities that the combined use of various PRDDEs are PCDPY statisticates give us is terms of entorping the image, will, bene interesting things happen when you PCDPY a graphics pain generated in robust in PRDDES, representing equator of the screen in that mode, is a single black and white page in PRDDED tilling the whole screen. Screen gets an almost endless variation of patterne.

Then randomise the accompanying sound as well and the effect becomes guite megneration.

The further addition of randomsed CPR CLE commands leads to an even more interesting effect, but we will loave you to exercise with Part

 1
 - Introduction
 - Line Stream, 1, rold

 2
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold

 3
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold

 3
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold

 4
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold

 4
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold

 10
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold
 - North Stream, 1, rold

 10
 - North Stream, 1, rold
 - North Stream, 1, rold<

Spelling

From Bob Patiner in Manne

With of these factors I considered to be were reportent. After all, consci prosunciation is a prime requisite of good spating, and the ability of the machine to progress, with the student is essential for it is be anotherhile. At that time I decided to write a pack program to devinence the Desports capabilities. I have 6d to more on this project until bench weeks aga, when in my local Board, Loeidhead a weeker aslang if these mess any backs to leth her I have add bol intervent in spelling I hought ... at a bear and the spelling I hought ... at a bear any back to be the her to be bear any back to be the her to be bear any back to be bear to be bear any back to be bear to be werking to be particular to be more appealing to a participation and herefore more effective.

I accould their to clust off my original original and write what I hope is an effective but writevate I hope is an effective but writevate social. The program fixed has instructions "ballet". I hopped has into som the program once, shright into Spelling Subor, then re-sur and pri into the "appendix input mode". The preservoir is SPGL11.

Program notes

400-450	Page one of speech data input analyzing the
460-510	Page two of speech data input instructions
520-700	Speech data input routine (line 640 FOR D = 1 TO 1700 is for the time allowed to input a word aparts, 2.5 sect.)
720 743	Page one at spelling instruc-
750-800	Initialising Array SD with score data
820-980	Page two of spelling instruc- tions (line 920 FOR D = 1 TO 1700 is the playback time for a word (the complement of line 4451).
	Speling sheck routine (this notime sets FL to 1 if the works do not match).
1025-1060	Correct answer routine. Incorrect answer routine.
	Page free of spelling instruc- sions (vowel identification putine).
1190-1200	Continuation of page three. >

March 1964 Descon User 4

Deltas for Dragons



The smooth control of a Voltmace DELTA sprung return joystick is now available to Dragon owners. Called the DELTA 3D it is a cut down version of our DELTA 148 handjet.

The same robust ball and socket jointed joystick but with the keypad blanked off to leave a choice of one of three fire buttons. Advice second - Steel challed towards on

- but and socket joint
- · Fait spring resurs to canove
 - Graphite wiper linear potentiomete

Voltmace Ltd

PARK DRIVE, BALDOCK, HERTS, SQT ME Tel: MINT: PARKE

Callers welcome at the factory - Monday to Frida Made in England, Trade terms available.







45 Dramm Liner Mench 1584

1542-1638 Spore selection and display.

640 FOR D = 1 TD 1700+NEXT E 670 PRINTEL29, "NON REWIND THE THPE TO THE 760 504(2)-" NOT 6000, BUT DO NOT MERKY YOU WILL NOON IMPROVE WITH PRACTICE-710 50415)=" HOLL DONE! AN EXCELLENT SCORE-BOD SD#14) -" WELL DONE! A PERFECT SCORE, YOU ARE NOW READY TO GO ON TO THE 630 IF INCEVECICHER (32) THEN 830 060 IF CPC+DL THEN GOTO BBC 950 PRINTMAY, "MON TYPE IN THE MOND" 940 PRINTBLV2, "AS SOON AS YOU HAVE TYPED IN THEODRECT MURRER OF CHARACTERS



tons are given in the program. The

Roadride

PEACHEDS IS a parte where you have to drive a car through a namow stretch of road. The further you go, the smaller the road pets.

in movement. Sound is optional. Instruc-

From Ambus Thompson in Manhatan

10 FOR*-20083102846 20 FDACH 2

104 129 JPLET16(04,1)=*T*THEN300 130 JFLEF18(04,1)=***THEN360 148 GLEMON(3)-1 158 SCHOMMO(33),2:SDT050 168 GLEMON(3),2:SDT050 128 GLE3 189 PR(10155),*DD Y03 LWMT SOLMD? 199 PA=106[Y8

Change I will be set







March 18M Dragon User 33







54 Dramm User March 1964

AT £249.00, THE TAIL'S NOT WAGGING THE DRAGON.

You could pay a lot owner for a printer to interface with your Densee.

But it seems emp to beam a merer with an odd ow corrying a price tog running into there or four laundred manufe

Equencially when the resolutionary Sedender (29001 does to much for an 18th)

For example, it's got full graphics capability, with a single command enabling a cohorse of graphic data to be monitod as more lines on transport.

Printing speed is 30 characters a second in an 50 colours dot mobile format as standard width super refered oble up to 10 meters.

And useday its compact coming, the Sections porting or credible of applications of features like constrained particles (no short last due to correlator), intermixing of graphic, character and charles with characteristic works as a single like and constrained or course as well as the original.

It will adde up to it quality: reliable adds on that benefities unce for subsymmetry profermance: accounts, excitationation facts, charts, dispersion and powgram debagging are note all available in prior.

See the Sedenber GOMPA in action - priorie per details and the californ of your permit dealer.



DBC Basiness System, Peripherals Division, 13-14 Loss Creation, Bisteratolic BJ, Reston super Nam. Von ISCA 905 Telescone 9954 (1991), Telescone 444751.

£25 A OUALITY	Y LIGHTPEN
inclusive For the DRAGON 3	
Donine Optimum process perform	ance is achieved
	coaly SUPERIOR PERFORMANCE
Frichard, scalable from the Datapent	Dightpen. Inconsistive to ambient lighting Besponds to different colours
past, cont	
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Switch for program control
X-1 poston.	
Brom dages	
S U P E R I O R PROGRAMS	
Tape storage of year work	
	Datapen
User routines previded on tape and on printent	
	P
"Mos would be for HEC B. Yield and CDH M.	
Sold draw or PD in 121 sr	
Deet DUA	
Datasa Menutati	Y
Datapen Microtechnology Limit	ed
Kingsclere Road, Overton	
Hants, RG25 3JB	
Or send SAE for details. Now available from good compt	arr dops.
DELYASCHT PROUDLY PRESENTS THE	THE FILING SYSTEM
HI-RES COLOUR GRAPHICS	A PROFESSIONAL PROGRAMME WITH A
DUMP AND THE DRASON 22 AND THE TANDY CO.CO	BUILT-IN TEACHER
Yau san new popy all High Resolution prophics somens available from Basic on th Lenne with a	
Tandy COP 115 (Primer plotter) MCP-48 4 minur preter plotter	THE I TELL YOU
	FILING HOW I SYSTEM
Shato Printer pixter and the Cotour Graphics Dump program.	STSTEM WORK
 Choice of any less in loss entropy loss in the second secon	
 HALF HEIGHT and HALF WIGTH modes if the graphics mode allows 	
 Statistic B. ON MODE in control of the second s	£20.00
	A WOOD-Ampire system of incidents standard which uses the Diagon's wido 5900 to black you how to use it. President in A4 rog brides and
 EXTER HEIGHT mode for duringing more than a full earways and others 	THE FILMO SYSTEM GIVES YOU.
Available from DELTASOFT at	Multite server an any of 22 halds Four different lyses of aparts
the special low price of only \$4.95 each	
Please make checkes and PCs out to Outsault and send servery boles to: OELTABOPT, 40 Windsor Road, Demoster, DAG 3017.	 Mathematical Sinchola within and Enough seconds
Tale Excention of the second s	 Plus after features normally found in doc-based packages costing 2000;
	A very proprietional analysis Well work the money phOM (Also 1983)
	Between powymu a conduman follow in case you have officiated. All this
Tanky COP 118 NCP-40	Network provide a contrast to one or same yes have difficulties. All this to EDP But don't same any point nonly "there have and well serveryou a full information sheet.
Taxiy con ris MCP-40 Name	Between provide a control to local interval to an address of the local to the control of the local to the local tot t
Tanky COP 118 NCP-40	Network provide a contrast to one or same yes have difficulties. All this to EDP But don't same any point nonly "there have and well serveryou a full information sheet.

55 Dragon User March 1984



Datasave

THE CONSTRUCT OF Passes sequence with the Decays 12 has one may need to constrain at the balance of intermention interval and an INSTITI constraint. For anyone with is underschild with its function, it allows you to underschild with its function, it allows you to second through any atting of hearing the second through any string of hearing the second through and pain any other through the second pain any other through the second pain any other second the aim of them saids the computer to you which the second pains of applied to the second pains of the second the aim of the second pains of the second pains and the second pains of the second pains and the second pains of th servertiente von a menur seines les Erreri-

The entropy of the second of my photographic slicks. I write the short program brasawe which utilises this command to show me to find any slide on any subject singly by entering an appropriate work to the compare to find in my class reproducts.

Ind this adequate for more to solve them, but program will allow poul to save a data. But on lage and recall if for alteration, and sonarry, it could, of course, be used to many purpose, names and helphone numbers, any simple cataloguing, a dio fortant, etc. You are able given the facility a print out individual records if you wait

The program has, of course, only similar facilities, but is a ransonable basis for espansion.

Things to note

1 If you want to create a data like when you already have one in memory it is necessary to and the program run and relationaria.

2 When you save data to tape the tape recorder is switched on so that you can move to a clear section of your tape. Do this before you enter a filename and press ENTER.

3 If you list the whole data file, the up and direct score know how a docentral

198 PRINT/PRINT/UP TO 288 RECORDS) 102 DISTLE DAY WATER PETIEN 398 IF GR-"P" THEN 605UB 1188-60T0 318



60 Drapon User March 1984

Breakthru From Garry Staunders in Upper Deeding

THIS IS A short game of lineastrus. The ball will be put on the life/hand side of the scheat. Your job is to knock as many blocks aud as you can. Along the top there is a record of here many times you hit the ball. Their many lines you've lost and your

You get 15 points for every brick you knock out. To move the ball are the up and down strow keys. You have five balls to clear the wall. But don't play the ball at your ball and into the back wall?

20 MER ANALASY SALAGESSEE 60 FORIAL TO 31 PREMI3241.CHR8(134+48); 78 D01/19448+1.CHR81134+48); 52 FORTWORTOGERSTOPS2 PRINTET, ORBITS4+4811 - NEXT 98 FORT+95TO++KITIP32: PHILNTET. CHRM: 134+HE // THEAT I 100 FORT+92TO++HITIP32: PHILNTET. CHRM: 143+112.) / INEXT 100 FORT-SITO4421TEF32 PRENTST. ORB(143+112), NEXT 110 FORT-SITO4421TEF32 PRENTST. ORB(143+112), NEXT 120 FORT-SITO4421TEF32 PRENTST. ORB(143+112), NEXT 120 PORT-SET0425TEP32 PRINTET, CHRM: 143+1123, HEATT 130 PORT-EDITO411TEP32 PRINTET, CHRM: 143+1123, HEATT 140 SEWERCE IF SENEL THEN STANDED TO BE AND THE STANDARD 100 IF POINT(22, V23HB THEN205UB118 172 Y2-Y1-Y1 1F Y2:27 OR Y2:4 THEN Y1-Y1 SOUNDIRE 1-0210178 IND GETTING, V2.0) RESETCEL, VI > XIAOR VIAVO DOD TO DESCRIPTION HARAS THE PROPERTY OF THE PROPERTY O 228 PRINTEX. CHER (120+64)/ PRINTEX+02. CHER (122+64)/ PRINTEX+64. CHER (120)/ PRINTEX 220 IF POINTCKLICIDES THEN KIN-KI DEDAL PRINTED D. 248 GUTU148 258 LHL41:1FL)4THEN298 268 PRINTE18-L) 290 AETurn 290 PAINT\$192+18. CANE DUEST. 200 PROVINCESS-3, WIT MAY KEY FOR ANOTHER GOT / OF ENGINE-"THEN 300 BLADRIN

GREMLIN

A very different game that contribute the lattigue of observative with the real time, machine code speed of anode action. The physic must control net one, but ISGHT different troopers, each with their over chemeter stretce, in the search for the vespoes that will denove THE OSMUNE!

DRAGON

Chapter Deak tas areas Chapter provide and the opport provide the second of the prophetics and second prophetics and second prophetics and second competitivity. The energy Photon Thepadose and Phosens, Beth Seng Phosens, Beth Seng prophetics and prophetics a

THE RING OF DARKNESS

BETAIN'S No. 1 ADVENTURE GAME FOR THE DRAGON 22 IS NOW AVAILABLE FOR THE 4K SPECTRUM AND ORE

THE BING OF DARDNERS is a create propher. Seature is horse propher. So darpners, and the prophers, learning a darbatisk here and seas, and populated by kingthrough creatives. All vanishes are presented in transport in the recorded in lister mode soly. Many the lister of brind the lister of between.

ORDER WITH CONFIDENCE: All thes in stock ora disastched he return of post

SEND SAN FOR OUR PREE

Selected titles are also available from good softwacutiats and loom facts

Compare Not and the All set of the All set

NTERSOFT



DEALER ENGLIBERS WELCOME \$1.347 (714)

"ADVENTURES INTO IMAGINATION"

CABLE FROM W.H. SMITH, JOHN MENZIES, E

spectacular 3-D maze adventure for the 48K Spectrum and Dragon 32 RICHARD SHEPHERD SOFTWARE

A spine chilling adventure __ enter via the dungeons __ navigate your way through 500 3-0 norms __ survive the swooping varipire tots __ reach the terrifying top __ confront and kill Count Kreepie, risking the world of this Transvioraian Throns.

Can you survive the Top of the Tower? \$6.50



NEW DEALERS WELCOME - RING JOHN SALTHOUSE ON 06395 6353

Classified

DUST COVERS

* DRAGON 32 & 65 *

with cut-hole to have a start theory of the

ALLEN ENTERPRISES Freedomi, Lutor, LUZ MERI

AND NOW

ATTRACTIVE CUSTOM-MADE BUSIT DOVERS TO NT YOUR STRUCTURANOWING

DRASON 22

Hege provid fabric with incrisco edge, smean primed with (ragon, DF&DON 44

Blue prodect fabric with gray taped 1006, solver printed with Dragon, 1854 relevan

Available in ailthar of shore supe

Only \$3.50 inc pip AnALALL NOV FROM CONSIDER COVERS. 6 WORLD COVERS. DUPPING SOFTON, DOOR

Distance was not reased investment for the products being on the big back of the products being one of d the back of the second second second distance. But is no second to be backed by a second product be and the backed back of the second second second back of the back of the second second back of the back of the second second back of the back of the second to back the second second second second second back of the back of the second to back the second second second second second back of the back of the second seco



Municipal Linguisting from Casalina to minum presi, first popy EY, second staj C. Cappelant, ES The Lanz, Awarenth Retirighten, Nac. 0002 234028.

BHAGON HEET, Flace and on the hold activate with this manufacture utility features in a 24 shaping, an shaping holds, appendix and manufactures. So with half of data the height orwanisme, 20 with half or data the height orwanisme, 20 with height orwanisme, 64.85 to: 16 house utilit 32K Tat: (01-571 Min)

DIALITY LIETINGS 12 per 1,000 Intel Band programs on neorate 2 Rubbing Drue Barley WP17 830

BOPTINING ETOCK ELEANANCE, diment heliterine. Tapes from least ing autoane houses. Tail Chapterhol 2028 for internation.





FOR BETTER AND FASTER RENDERED control with televariant band C2 too ML lost at 1 (so Unterside 12 1180 AH Ampletone)

TOP GUILUTY EPIGN USERNOS, JO 10 M C1 25, 350 JH K GHS, Chouse FO and Sell St. A. Rostran, 30 Roo Mith Aders Film, Brachael, Benn,

CENTRAL HEATAGE CALCELETER TAMP gives instant and over laber Marin type gives press, permitters instante and calcelete at product, terrine and calcelete at product, terrine and calcelete at product, terrine and calcelete at the baseness. Integri BOC BIT FYERE II is A Semandi Educational Trades 300 Learning Read Bitchick Learning.

ALARE TYPINGA, MI Disparama autolament in Singlon Liber in 1982 on any reserver. To Disparam for only Lib Mi Printed. Disparama for any Lib Mi Mi A. Soffweire, 28 Barraner Chae, Standardsky With Liber.

ELKON ELECTROMES. Transition protection and the provided and protection after A set.



nd chegan. Als: to P. Parts, 88 mant. Marks, Bur Log. 874	

DUPUT will stapipate machine pro gram, main autorut, CS. Why tot auto not your Basic or machine program ES. Senction First, 179 Sudon Ruae, D Instance Microsovice, VMIS 1971

QUALITY DIAGON LISTINGS TO per color. Displical science scipper, scient II circuit (Const. 20), 21 circuit (Const. 20), Unix. 20), Constellat, Torong, et al. Construction, 22 (Const. 20), 20 (Const. 20), 10 (Const. 20), 20 (Const. 20), 20 (Const. 20), 10 (Const. 20), 20 (Const. 20), 20 (Const. 20), 10 (Const. 20), 20 (Const. 20), 20

CRASCN PRINTDUT SERVICE, 54YO D175+ Cesseller and San to Abericansia Hussa, Town Stratt, Sufer Cambridge Hussa, Town Stratt, Suler Cambridge Hussel, Service

COMPLETE PROPARE model Interette Gale only. Friend Interted States and States and States (States), and the states of the ONE of Caleboard States from Ap. 197 MO Capital States are been applied burdence 782% Dates are propared burdence 782% Dates are propared burdence for the states of the stat

DRACO IN ALL TEXT MINTER, IN CONDITION IN THE TEXT MINTER, IN CONDITION IN THE THE TEXT AND THE TEXT CONDITION IN THE TEXT AND THE TEXT

0 Cesis Software Celosoft Official	4.7 10 10
Pomiar Program Factory Programs vo Computers	2 44 55
Pairbox Red Roll Data	63 60
B fo Electronica Seconda More Bhanda Boheare Gil Software Gil Software Battalop Battalop Battalop	112623
Tiper Bohnare Troan Products Tador Withams	3.7.0
Voleo Dames International Voltrace	4
W West Devon Electronics Windersch Wissent Schware	20

64 Childon Daw Mary's Hills

If you've got a technical question or problem write to Brian Golge, Dragon Answers, Dragon User, 12/13 Little Newport Street, London WC281 3LD

Dragon Answers

Asking in confidence

AS 1 see my Bragon to rain "business type" programs for a volmfary regressions, and assense of the information contained in these programs is of a confidential nature, to access the program the user is acress to program the user is acress to program the user is acress to

The programs thermalives work free. The problem is, even it the aver does not know the access cade, by simply typing LST and viewing the program, the number is destroyed for with case.

Therefore, is it possible to disable the UST command, pretendag from within the program? Dr is there an alternative way to prevent this "way round" the rester?

Abs, initially I would like to keep a hard capy of the prop-

If it possible to disable any of the Brogor's sammade, instaning LDT (and LLDT). The pogram listed on this page will be this for you if added to the beginning of your own program. Of overse, once RUR every you won't be oble to LDT the poquest, so make some that it is infelle bog-teen.

The principle used is quite timple: the program about the UST and LUST commands to act like RRM utabeneats by maxing the cammand positer down into RAM and attoring the network of division. In the same way, you would disatle the CSAPC command to proved anyone photog your program.

Cartridge pinout

I NEVE just read in dicapao coer about the backet "internation for Machine Cade Users". I would appreciate same internation about this teamand

It possible. I wend also like information on the pinout of the thispon optical and also be communicate with my off KML1 computer, which ma new been relegated to controlling the communication.

I have had the Dragen for about the months about



piod value for intoney. Unfortunatory if all happens in chub black, and white all the moment, as I am having technical difficulties with the interface to chive my Securit colour TX from the Dragon's FAL.

> A Abjden, Gonecox, Fornox

THE "INFORMATION Is: Machine Code Users' hookin is produced by Orapon Data and is investibile thes them that Coutomer Support Repartment. The booking contains a much many than the care in the additional information baseders is well as the addresses in tennors useful michailes add voltimes. The class Review.

The Bragon's cartridge part connections are exactly the same on the Tanky Colour Comporter's. At of the expected data, address and it will lines are fadto that connector, together with prevent special purpose signals. It shawld be quite easy to samnet! your fignons programmer will the messagery software to date the the state armsettion related. Together your of the same line fields. Together your copy of the Carour Compute Technical Reference Manual which is only \$5p from Tandy's.

Internetion system in one langen gives simple rempetide 855 with scend, not hve R/2 calour — this may be the cent of acene of your problems. The pin canned lang are as follows: Pin 1 — Hote signal. Pin 2 — Sound signal. Pin 4 — Bauth (soci cent).

in 5 Hack (not used).

DOC

I AM having a problem with one of the String functions for the Dragan . I am not sure whether it is my understanding, the namula of the contractor is at fault.

I am using SYBQD to put multiple links strings, the number is studies links a string reputation all phi but a space is included at the beginning of such string, eg: 19.45 \pm 5776(1234) 29.4711 (23.453) This gives: ∇ 1234 ∇ 1234 $\langle \nabla$ being space of course)

a) CLEWER, AND B
 a) CLEWER, AND B
 b) Tamping 2013, ALM PHYLOL (2011)
 b) Party (2013), P(E)((117))
 b) Party (2013), P(E)((117))

Saahino the LUCT command

the manual. The only mendion of STFIG is on page 70.

when you want to combine num-

18 AS - STRS(28) 05 -

0 C8 - A8 + 8

30 Print

135 UV15

V LOC - UD #HD HO

Can you give some quidance

Chies Etcherts

WHAT THE STRES function action by down in to put the string at characters that would appoint on the process into a variable. When the Dragan prints a number it makes allowances for the minus sign, hence a space is left if the number is positive.

Provided you don't want to use negative numbers in your othings. The scalabors in its use. At - MERISTRESH, 27, instead at you AS - 27795(A, 27), instead at you AS - 27795(A, 27), but eat out the insteing space, but will obse ad out any minus slope.



AP ILLA EXECUTING THE INE FOR X = 1 TO 5 STEP 3.01 ; 7 NEXTX : 7X

the total error was almost 0.01.

Why has such a large whole occarred when the loop is doing no processing except far printing out the loop result?

Saved Effect.

YOU HAVEN'T discovered andher anys in the FEM, but you have saked an interesting point about the processing of a FOR-6432T loop. Each time a ROX followered is accounter in this tense. X) is incommand an decommenda to the action value.

Only after this has been dues doen the Entic check whether the value is all which the boundaries given is continue the boundaries given is continue the boundar after a loop has been completed is always one stop geoder at lower than the given further states.

For example, if you'r

FOR X - 0 TO 580 STEP 100.MERT R.7 X

and not 580 as might be ex-

Competition Corner

Bring sprites to your Dragon

Gordon Lee provides the puzzle. Premier the prize

THE INCENT declosure that a proof Advences microcorrotter and industation before a system which enabled him to wis frequencies of dolars at blackack will have where up means amongst micro-uses generally. This is especially the case as the system was deviced using entry a standard penarkat micro, attough the was listic subdemented by the devices. ment of an elaborate system of concealed portable radio transmitters and receivers, linked to a miniature computer sitepped to the operator's book.

Of course, for a long time anytody with a "winning system" has usually found it a sure fire way of losing vast sums of money. This leads us to enquine if it really is possible to perfect a system that works.

Prize

THIS MONTH'S price is the new sprite proprior board from Premier Microsystems. The board provides 256 by 182 methods. The board provides propriors in the programmatic propriors of poly "specific for board also gives inverment latent sprice with a research strate.

Rules

TO WIN the spalls load you have to seed in the need alogant detaint to the pacta. You must show both the answer to the competition and how to poles it with the use of a Basic program dewiting of any to Dagon, as a february er, competits the following sentence in 15 words or less: "I want to add a polite By the last working day in March. The names of the workers, and the solution to the puzzlin, will be published in our June lates. You may only only only the somewhole and we connect which into conversion-dense on the result.

Winner

THE INIMPER OF December's compettion and recipient of a Dragon 64 from Dragon Data is in B bootnam of Dasley atoles. He connectly stated that the number of bicycles Santa should have written down was 1562/4894 — and suggested a heading management system as a Dason for application.



66 Department Lines: March 1984.

Answers to Competition Corner, Srepon Oser, 12/13 Little Newpor Street, Landon WC2R 3LD

especially if we have the aid of a microcomparty? Consist, the game that is troat commonly incled with so-called with the source of the source of the source has the kase chance of making a politmenty variants. The construction and the source of the source of the source of the source of 200 percent with means and the topol of 200 percent with means land the source of 200 percent with means land the sources to be composited of the sources to be sources of the sou

More usually, the purche with a system interrupt is transjolate the account per state-inten the outcome of the apo of the hele, usually parting a higher amount following a base, and a smaller amount following a base, and a smaller amount takes a view interrupt the system and toward being and the transmission of the access separating the indirect and lowest being another and the system of the theorem is noteenaded as 2 means for an another and the system of the system is noteenaded as 2 means for an another a size of the system of the sys

There is, however, one casino game in which the odds, on certain occasion, actually lancer the player. The game is biodyack and it was this game that caught the attention of the American mendoade earlier. Biodyack is amoun dentical to portion, and requires the player to get a lighter part court than the dealer, but without the hand's value ecoded a 21.

Advantage

The about the two program and two program and the two program and two program and the two program and two program and

Here as a form of cubies that won't be band in any cubic to play, drive a ring of induces, with size instanting to teo. There induces, with size instanting to teo. There induces as number of the size of the size and size the many office. Now, when the size of the size of the size of the size size of the size of the size of the size energy of the size of the size of the size energy of the size of the size of the size energy of the size of the size of the size energy of the size of the size of the size energy of the size of the size of the size energy of the size of the size of the size of the energy of the size of the size of the size of the energy of the size of the size of the size of the energy of the size of the size of the size of the energy of the size of the size of the size of the size of the energy of the size of the size of the size of the size of the energy of the size of

The object of the game is to confinue round and yound until the number of chips in your hand is enably 100. Can you bell which number (or numbers) of ships you should choose is achieve 100 in the fewers possible nerves? TIRED of endless ourier and conidors an CONFUSED by interminable conidors an

Wings of War

- for nor and Colorest educations from Salamanda Solhama

3.4 MMSS 07 MAR yes play files fit Report Millor, Advantari how, The home is Boussman Will - you must passchafe adva server annu falmming hidden in a charlant Millor institution and the problem of a new home, and marke good you and the problem of a new home, and marke good you.

Sher of Kilegs of Kile

In THE CANCELENDED MALISETS yan, Anneld O. Therhampelin the With have for the Workshample for before, first given the found and all your mixed and fanding for a bad for fan well has foundable gaves. There and have for the forfance your packed with and server has make of candom. Thereme, them and Magan for the alasem Adra Gave. Martine, them and Magan for the alasem Adra Gave.

Cicklawood Jacidaal

Stimulate yourself for only £7.95 each.

Please odd 50p plp to all order. Send #5 SAE for full calaby

SOFTWARE

17 Nordelk Read, Brighton, Bill 3AA Ideahone, Brighton (2275) 77724.

East (n likes other new releases from Salamander Software 2866001 - 0.83 (unphishcaled dataland CN 95 782122 GRAPHICS (Educational & land 25)

052 - EdGEE (miginal ansate action) 2119 850122202898 - 15200 COMPTEER (04012 compiler EX.9

mander

New evolution are noticed of our had salling 127 Night Simpleton for SDC data and 405225 Ecology

